

Historic, Archive Document

Do not assume content reflects current
scientific knowledge, policies, or practices.

ASB252
H1U5
C2

COTTON QUALITY CROP OF 2000



U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

Vol. 74, No. 7 – Annual Report

May 2001

USDA
NATL. AGRIC. LIBRARY
2002 AUG 13 P 12:52

USDA
NATL. AGRIC. LIBRARY
2002 AUG 25 4:05:41

COTTON QUALITY - UNITED STATES

2000 Crop

Color. The predominant color of upland cotton classed from the 2000 crop was color 31, accounting for 31 percent of classings, according to the USDA, Agricultural Marketing Service, Cotton Programs. Colors 11 & 21 were predominant in 1999 and made up 31 percent of classings. In the white color grades, color 41 and better made up 80 percent of classings down from 86 percent in 1999. All white color grades accounted for 83 percent of the 2000 crop, down from 88 percent in 1999. Light Spotted color grades comprised 16 percent of classings, up from 12 percent in 1999. Spotted color grades made up about 1 percent of classings this season, the same as a year earlier. Tinged, Stained and Below color grades accounted for less than 1 percent of classings this season, the same as last year.

Leaf. The predominant leaf grade of cotton classed from the 2000 crop was leaf grade 3, accounting for 54 percent of upland classings. Leaf grade 3 was predominant a year earlier making up 41 percent of classings. Leaf grade 1-2 comprised the next highest percentage from the 2000 crop at 24 percent against 36 percent a year ago. Leaf grade 4 made up 18 percent of classings from this year's crop, compared with 19 percent in 1999. Leaf grade 5-7 made up about 3 percent of classings, the same as last year.

Staple. The average staple length of upland cotton classed from the 2000 crop was 34.2 thirty-seconds inches, up slightly from 34.1 a year ago. The predominant staple length was 34, making up about 26 percent of classings. Staple 34 was the predominant length last year, accounting for 26 percent of classings. Staples 31 and shorter comprised 5 percent of classings this season, the same as last year. Staples 32 and 33, at 26 percent, were down from 29 percent the previous year. Staple 35 made up 22 percent of the crop, the same as last year. Staples 36 and longer accounted for 20 percent of classings, up from 18 percent the previous year.

Mike. The average mike of upland cotton classed from the 2000 crop was 43, down from 44 last year. Cotton with mike 34 and lower made up 6 percent of classings against 4 percent in 1999. Cotton miking 35 through 49 comprised 86 percent of the classings this season, up from 80 percent a year ago. Cotton with mike 50 and higher made up 8 percent, down from 16 percent in 1999.

Strength. The average fiber strength of upland cotton classed from the 2000 crop was 27.6 grams per tex, compared with 28.3 in 1999. Strengths in the 19 and lower range accounted for less than 1 percent of classings, the same as last year. Strengths in the 20 to 23 range accounted for 2 percent compared to less than 1 percent last year. Cotton with strengths of 24 to 27 grams per tex accounted for 53 percent of classings, against 37 percent a year ago. Strengths in the 28 and higher range comprised 45 percent of classings, down from 63 percent a year ago.

American Pima. Grades 3 and better made up 97 percent of classings from the 2000 crop, down from 99 percent last year. Grade 2 was the predominant grade both years, accounting for 68 and 69 percent in 2000 and 1999, respectively. Grades 4 and lower comprised 3 percent of classings against 1 percent a year ago. The average staple length was 45.6 thirty-seconds inches, the same as last year. Staple 46 was the predominant length, comprising 68 percent of classings this season, and 61 percent in 1999. Average mike was 41, compared to 40 last year. Average fiber strength was 38.7 grams per tex, the same as last year.

Ginnings of 2000-crop cotton in the United States totaled 16,741,600 running bales, according to a preliminary report released on March 23 by the Agricultural Statistics Board, National Agricultural Statistics Service, USDA. This total includes 16,366,700 bales of upland and 374,900 bales of American Pima cotton. The number of active cotton gins for crop year 2000 was 1,018 compared with 1,084 in 1999. Classings at AMS, Cotton Program Offices totaled 16,721,941 upland samples and 374,138 American Pima samples through April 13, 2001.

May 1, 2001

Table 1. -- *United States*: Distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE								
COLOR		26 & -	28	29	30	31	32	33	34	34 & -
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	29	636	3,952	16,181	70,551	188,858	326,201	391,466	997,874
	3	23	587	3,978	14,178	36,711	86,698	159,472	213,905	515,552
	4	4	146	923	3,522	7,442	13,358	19,672	22,274	67,341
	5	-	12	136	419	944	1,701	1,964	1,887	7,063
	6	-	-	14	16	72	108	161	169	540
	7	-	-	1	1	2	-	9	15	28
TOTAL—		56	1,381	9,004	34,317	115,722	290,723	507,479	629,716	1,588,398
31	1-2	11	172	946	2,995	18,218	83,677	201,886	280,639	588,544
	3	49	831	4,297	13,275	42,370	180,935	535,901	898,669	1,676,327
	4	63	593	2,675	8,120	19,230	48,562	126,579	215,087	420,909
	5	2	89	495	1,551	3,804	7,620	12,900	17,111	43,572
	6	-	4	39	135	312	773	1,324	1,622	4,209
	7	-	-	-	6	9	50	92	97	254
TOTAL—		125	1,689	8,452	26,082	83,943	321,617	878,682	1,413,225	2,733,815
41	1-2	-	19	144	740	7,126	38,461	99,388	142,989	288,867
	3	8	210	1,636	7,151	31,733	144,083	446,188	823,287	1,454,296
	4	10	209	1,735	8,825	30,231	84,274	184,177	300,370	609,831
	5	-	57	693	3,858	12,869	30,875	45,013	44,663	138,028
	6	3	11	97	483	1,848	5,164	7,419	7,168	22,193
	7	-	-	10	18	112	363	398	418	1,319
TOTAL—		21	506	4,315	21,075	83,919	303,220	782,583	1,318,895	2,514,534
51	1-2	-	-	8	69	676	3,041	7,860	10,446	22,100
	3	1	5	37	241	2,516	15,482	50,511	92,275	161,068
	4	-	3	25	197	1,380	8,723	25,465	46,571	82,364
	5	-	3	26	95	639	3,046	7,352	9,853	21,014
	6	-	-	4	37	189	835	1,944	2,649	5,658
	7	-	-	2	2	37	77	185	380	683
TOTAL—		1	11	102	641	5,437	31,204	93,317	162,174	292,887
61	1-2	-	-	1	10	24	97	201	362	695
	3	-	1	1	13	126	547	1,015	1,367	3,070
	4	-	-	2	4	83	384	810	1,022	2,305
	5	-	-	1	2	8	109	234	345	699
	6	-	-	-	-	7	26	57	102	192
	7	-	-	-	-	4	1	10	28	43
TOTAL—		-	1	5	29	252	1,164	2,327	3,226	7,004
71	1-2	-	-	2	-	6	22	26	16	72
	3	-	1	-	-	9	43	41	33	127
	4	-	1	2	-	12	22	29	16	82
	5	-	-	-	-	3	2	9	7	21
	6	-	-	-	-	-	1	1	2	4
	7	-	-	-	-	-	-	-	-	-
TOTAL—		-	2	4	-	30	90	106	74	306
12 & 22	1-2	36	571	1,884	5,661	14,829	28,428	34,947	29,930	116,286
	3	75	745	2,701	6,473	12,751	20,230	26,402	25,611	94,988
	4	18	178	570	1,461	2,745	3,272	4,512	5,035	17,791
	5	-	18	97	293	413	474	433	387	2,115
	6	-	1	3	19	28	54	38	32	175
	7	-	-	-	-	-	-	3	2	5
TOTAL—		129	1,513	5,255	13,907	30,766	52,458	66,335	60,997	231,360
32	1-2	56	640	2,407	4,725	10,307	20,763	28,677	27,970	95,545
	3	327	3,279	12,487	24,337	39,756	61,073	78,306	77,927	297,492
	4	174	1,542	5,770	11,745	16,951	21,191	23,293	23,150	103,816
	5	20	193	675	1,483	2,447	3,378	3,114	2,312	13,622
	6	2	5	44	98	145	313	326	254	1,187
	7	-	-	3	3	3	17	22	36	84
TOTAL—		579	5,659	21,386	42,391	69,609	106,735	133,738	131,649	511,746
42	1-2	18	192	740	1,784	6,475	18,466	31,036	32,034	90,745
	3	119	1,844	8,519	23,872	52,359	109,493	181,304	206,037	583,547
	4	98	1,794	9,716	26,644	49,416	78,430	102,940	104,220	373,258
	5	35	403	2,408	6,710	12,872	19,572	20,429	13,747	76,176
	6	13	55	242	551	1,325	2,019	2,231	1,648	8,084
	7	3	1	34	31	71	87	116	90	433
TOTAL—		286	4,289	21,659	59,592	122,518	228,067	338,056	357,776	1,132,243
52	1-2	1	47	99	308	1,022	2,900	5,255	5,632	15,264
	3	31	378	838	1,904	5,634	18,953	38,029	41,845	107,612
	4	14	190	935	2,398	4,753	11,651	25,594	30,778	76,313
	5	13	77	348	1,210	2,663	4,579	6,828	6,943	22,661
	6	2	12	80	341	780	1,370	1,736	1,597	5,918
	7	-	1	5	39	53	153	289	394	934
TOTAL—		61	705	2,305	6,200	14,905	39,606	77,731	87,189	228,702

Table 1. -- *United States*: Distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	1	9	63	109	233	495	870	1,780
	3	1	15	35	103	265	676	979	1,055	3,129
	4	-	5	18	79	126	438	804	728	2,198
	5	1	1	6	7	44	140	321	325	845
	6	1	-	-	3	8	41	78	153	284
	7	-	-	-	-	5	16	5	45	71
TOTAL—		3	22	68	255	557	1,544	2,682	3,176	8,307
13 & 23	1-2	14	90	195	490	848	1,252	1,377	780	5,046
	3	12	58	343	698	1,013	1,380	1,401	1,064	5,969
	4	-	9	64	180	232	283	302	358	1,428
	5	-	-	6	34	37	32	38	49	196
	6	-	-	2	3	3	1	1	7	17
	7	-	-	-	-	-	-	-	-	-
TOTAL—		26	157	610	1,405	2,133	2,948	3,119	2,258	12,656
33	1-2	22	163	356	545	668	820	842	828	4,244
	3	83	522	1,493	2,603	3,032	3,040	2,721	2,543	16,037
	4	24	147	499	887	1,064	1,194	1,125	1,302	6,242
	5	4	17	74	108	154	207	219	322	1,105
	6	-	-	5	13	21	27	10	41	117
	7	-	-	1	3	1	11	4	2	22
TOTAL—		133	849	2,428	4,159	4,940	5,299	4,921	5,038	27,767
43	1-2	47	168	454	825	1,068	1,026	976	784	5,348
	3	100	935	3,123	6,024	7,499	7,401	7,068	6,369	38,519
	4	76	734	2,423	4,152	4,729	4,402	4,093	3,780	24,389
	5	29	170	430	919	1,178	982	705	676	5,089
	6	-	32	30	71	153	130	112	96	624
	7	1	5	5	-	18	14	10	8	61
TOTAL—		253	2,044	6,465	11,991	14,645	13,955	12,964	11,713	74,030
53	1-2	34	176	318	572	652	696	692	318	3,458
	3	110	694	1,367	2,246	3,226	3,541	4,029	3,100	18,313
	4	21	262	717	1,395	1,644	1,952	2,508	2,213	10,712
	5	3	60	210	564	720	661	663	535	3,416
	6	2	14	29	94	170	227	229	178	943
	7	-	5	2	8	18	24	59	59	175
TOTAL—		170	1,211	2,643	4,879	6,430	7,101	8,180	6,403	37,017
63	1-2	6	35	35	93	135	188	168	119	779
	3	1	69	224	439	431	522	435	237	2,358
	4	1	39	104	194	196	204	169	154	1,061
	5	2	4	16	41	69	75	76	55	338
	6	-	1	5	5	11	17	15	30	84
	7	-	-	2	-	3	5	5	12	27
TOTAL—		10	148	386	772	845	1,011	868	607	4,647
24-54	1-7	12	140	296	570	683	920	1,315	1,510	5,446
25-35	1-7	-	-	-	-	1	8	5	2	16
81-85 1/	1-7	11	77	124	221	291	392	371	247	1,734
All Colors	8 2/	1	9	31	52	73	143	265	259	833
TOTAL, ALL—		1,877	20,413	85,538	228,538	557,699	1,408,205	2,915,044	4,196,134	9,413,448

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	TOTAL
		Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	402,822	383,565	257,907	51,184	8,774	716	1,104,968
	3	223,105	229,283	209,518	43,811	8,893	1,607	716,217
	4	18,424	13,315	11,824	2,993	629	92	47,277
	5	1,000	410	299	101	55	8	1,873
	6	92	11	3	2	-	-	108
	7	6	-	-	-	1	-	7
TOTAL—		645,449	626,584	479,551	98,091	18,352	2,423	1,870,450
31	1-2	224,623	109,751	46,546	7,000	834	27	388,781
	3	860,078	458,258	203,747	33,513	3,837	260	1,559,693
	4	217,671	118,169	48,920	8,483	1,531	92	394,866
	5	12,693	5,349	2,203	725	287	23	21,280
	6	1,049	294	111	19	7	4	1,484
	7	45	14	4	2	-	-	65
TOTAL—		1,316,159	691,835	301,531	49,742	6,496	406	2,366,169
41	1-2	96,626	37,637	12,200	1,012	60	1	147,536
	3	735,404	338,142	101,476	10,155	944	82	1,186,203
	4	304,937	171,674	61,660	7,412	918	44	546,645
	5	29,585	14,810	6,591	1,543	324	18	52,871
	6	3,336	1,233	539	194	44	5	5,351
	7	189	91	60	23	4	2	369
TOTAL—		1,170,077	563,587	182,526	20,339	2,294	152	1,938,975
51	1-2	5,991	2,035	451	31	1	-	8,509
	3	77,977	31,818	7,294	426	24	9	117,548
	4	44,084	20,704	5,899	428	693	3,858	75,666
	5	6,802	3,528	1,336	144	16	2	11,828
	6	1,377	441	126	14	2	-	1,960
	7	171	44	22	1	-	-	238
TOTAL—		136,402	58,570	15,128	1,044	84	24	211,252
61	1-2	356	144	55	14	-	-	569
	3	1,358	701	243	22	-	-	2,324
	4	913	512	157	20	-	-	1,602
	5	276	163	49	3	-	-	491
	6	106	37	13	-	-	-	156
	7	24	5	-	-	-	-	29
TOTAL—		3,033	1,562	517	59	-	-	5,171
71	1-2	12	11	2	2	-	-	27
	3	16	16	10	3	1	-	46
	4	6	10	2	-	-	-	18
	5	7	1	1	1	-	-	10
	6	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-
TOTAL—		41	38	15	6	1	-	101
12 & 22	1-2	16,292	7,284	3,165	840	232	68	27,881
	3	14,246	6,609	4,278	1,186	268	76	26,663
	4	3,197	1,362	656	325	61	4	5,605
	5	224	112	36	16	5	-	393
	6	13	10	2	-	-	-	25
	7	-	-	1	-	-	-	1
TOTAL—		33,972	15,377	8,138	2,367	566	148	60,568
32	1-2	13,467	3,038	1,269	290	70	27	18,161
	3	46,266	13,726	4,811	1,188	213	46	66,250
	4	16,162	6,233	1,816	490	62	9	24,772
	5	1,666	637	235	42	8	5	2,593
	6	167	106	25	2	2	1	303
	7	23	23	5	-	-	-	51
TOTAL—		77,751	23,763	8,161	2,012	355	88	112,130
42	1-2	14,612	2,432	341	52	22	11	17,470
	3	117,171	28,262	3,395	321	60	64	149,273
	4	70,478	22,334	3,165	254	19	16	96,266
	5	7,606	2,852	481	75	7	3	11,024
	6	859	294	79	21	3	7	1,263
	7	87	66	23	7	1	2	186
TOTAL—		210,813	56,240	7,484	730	112	103	275,482
52	1-2	1,902	323	31	4	-	2	2,262
	3	21,487	4,929	511	34	8	2	26,971
	4	19,852	5,682	764	28	1	1	26,328
	5	4,226	1,515	227	10	-	-	5,978
	6	849	244	41	2	-	-	1,136
	7	167	62	8	3	-	-	240
TOTAL—		48,483	12,755	1,582	81	9	5	62,915

Table 1. -- *United States*: Distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 &+	35 to 40+	
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	779	213	31	-	1	-	1,024	2,804
	3	945	377	101	4	3	-	1,430	4,559
	4	341	101	33	1	1	-	477	2,675
	5	192	52	25	3	-	-	272	1,117
	6	101	37	10	1	-	-	149	433
	7	31	8	1	-	-	-	40	111
TOTAL—		2,389	788	201	9	5	-	3,392	11,699
13 & 23	1-2	572	391	234	53	4	8	1,262	6,308
	3	673	392	284	88	11	13	1,461	7,430
	4	188	57	22	11	2	1	281	1,709
	5	23	2	4	-	-	1	30	226
	6	2	1	3	-	-	-	6	23
	7	-	-	-	-	-	-	-	-
TOTAL—		1,458	843	547	152	17	23	3,040	15,696
33	1-2	708	620	337	41	2	14	1,722	5,966
	3	1,709	1,135	960	132	11	43	3,990	20,027
	4	857	386	190	73	13	13	1,532	7,774
	5	226	51	23	16	-	3	319	1,424
	6	30	9	5	-	-	13	57	174
	7	3	-	1	-	-	2	6	28
TOTAL—		3,533	2,201	1,516	262	26	88	7,626	35,393
43	1-2	359	134	35	2	3	8	541	5,889
	3	3,596	1,182	410	46	10	5	5,249	43,768
	4	2,206	908	221	48	8	3	3,394	27,783
	5	453	122	42	14	2	2	635	5,724
	6	86	22	13	1	1	7	130	754
	7	14	15	10	-	-	10	49	110
TOTAL—		6,714	2,383	731	111	24	35	9,998	84,028
53	1-2	144	29	4	-	-	-	177	3,635
	3	1,257	353	58	4	-	-	1,672	19,985
	4	1,034	365	41	3	1	-	1,444	12,156
	5	241	79	19	2	-	1	342	3,758
	6	68	29	8	-	-	-	105	1,048
	7	31	10	1	-	-	-	42	217
TOTAL—		2,775	865	131	9	1	1	3,782	40,799
63	1-2	98	44	6	-	-	-	148	927
	3	130	67	8	-	-	-	205	2,563
	4	63	53	8	-	-	-	124	1,185
	5	24	20	1	-	-	-	45	383
	6	15	8	-	-	-	-	23	107
	7	4	1	-	-	-	-	5	32
TOTAL—		334	193	23	-	-	-	550	5,197
24-54	1-7	1,085	615	398	61	16	1	2,176	7,622
25-35	1-7	-	-	2	-	-	-	2	18
81-85 1/	1-7	154	97	63	5	1	-	320	2,054
All Colors	8 2/	157	42	43	10	-	4	256	1,089
TOTAL, ALL—		3,660,779	2,058,338	1,008,288	175,090	28,359	3,501	6,934,355	16,347,803
EXTRANEEOUS MATTER									
Bark - Level 1		1,105,447							
Bark - Level 2		1,988							
Grass - Level 1		157,364							
Grass - Level 2		1,158							
Prep - Level 1		14,237							
Prep - Level 2		37							
Other - Level 1		18,192							
Other - Level 2		18							

Average Staple ————— 34.2
Percent Tenderable ————— 64.0

16,347,803 bales classed, includes 25,703 of Kansas. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed:
1999 CROP

QUALITY	LEAF	STAPLE								
COLOR		26 & -	28	29	30	31	32	33	34	34 & -
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	320	2,359	16,695	60,456	187,050	468,712	783,233	833,341	2,352,166
	3	115	1,064	7,985	30,123	83,391	186,202	290,244	265,567	864,691
	4	21	184	1,585	6,385	15,929	28,208	37,091	30,414	119,817
	5	-	12	157	652	1,801	2,641	2,356	1,802	9,421
	6	1	-	6	39	152	196	109	63	566
	7	-	1	1	3	14	18	8	4	49
TOTAL----		457	3,620	26,429	97,658	288,337	685,977	1,113,041	1,131,191	3,346,710
31	1-2	59	458	2,416	6,879	22,914	102,194	250,111	345,980	731,011
	3	54	577	4,650	16,819	54,448	173,871	435,226	739,353	1,424,998
	4	24	357	3,151	12,811	35,808	73,402	125,689	188,022	439,264
	5	8	142	1,336	5,999	14,508	20,798	22,310	20,884	85,985
	6	5	33	334	1,515	3,668	4,297	3,120	1,899	14,871
	7	4	9	53	186	464	521	303	158	1,698
TOTAL----		154	1,576	11,940	44,209	131,810	375,083	836,759	1,296,296	2,697,827
41	1-2	20	119	193	394	3,497	23,122	51,974	60,691	140,010
	3	4	134	475	1,596	17,921	108,696	336,250	570,912	1,035,988
	4	2	47	450	1,589	10,731	56,198	181,745	364,368	615,130
	5	1	19	313	1,198	3,562	7,575	16,452	32,930	62,050
	6	1	13	175	770	1,670	1,729	1,967	2,237	8,562
	7	1	3	73	237	529	504	491	383	2,221
TOTAL----		29	335	1,679	5,784	37,910	197,824	588,879	1,031,521	1,863,961
51	1-2	-	3	6	39	394	1,608	2,341	1,818	6,209
	3	-	1	39	329	3,518	14,549	28,024	27,919	74,379
	4	-	-	34	373	4,064	16,573	34,486	40,872	96,402
	5	-	-	14	77	924	4,472	11,410	15,873	32,770
	6	-	-	20	24	66	370	1,049	1,674	3,203
	7	1	-	22	23	29	39	104	159	377
TOTAL----		1	4	135	865	8,995	37,611	77,414	88,315	213,340
61	1-2	-	-	-	-	6	33	29	9	77
	3	-	-	1	9	71	221	349	199	850
	4	-	1	4	22	112	302	477	438	1,356
	5	-	1	-	6	71	147	325	412	962
	6	-	-	-	1	15	69	125	201	411
	7	-	-	-	-	4	3	17	30	54
TOTAL----		-	2	5	38	279	775	1,322	1,289	3,710
71	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	6	6	3	15
	4	-	-	-	-	-	3	3	1	7
	5	-	-	-	-	1	1	2	1	5
	6	-	-	-	-	-	-	-	2	2
	7	-	-	-	-	-	-	-	1	1
TOTAL----		-	-	-	-	1	10	11	8	30
12 & 22	1-2	74	483	2,133	5,866	14,956	31,909	45,259	41,572	142,252
	3	30	219	1,577	4,474	12,361	25,315	36,388	34,777	115,141
	4	6	49	381	1,378	3,271	5,888	7,553	6,768	25,294
	5	1	10	56	205	427	590	576	559	2,424
	6	1	6	7	12	28	37	31	34	156
	7	-	1	1	-	2	4	-	-	8
TOTAL----		112	768	4,155	11,935	31,045	63,743	89,807	83,710	285,275
32	1-2	72	368	1,034	1,462	3,258	9,259	15,872	17,072	48,397
	3	51	363	1,697	4,117	10,847	31,356	62,005	82,680	193,116
	4	10	126	891	2,673	7,525	17,180	31,323	43,446	103,174
	5	1	33	434	1,089	2,601	4,085	6,181	7,243	21,667
	6	1	11	73	243	518	620	691	685	2,842
	7	-	3	16	44	53	64	65	55	300
TOTAL----		135	904	4,145	9,628	24,802	62,564	116,137	151,181	369,496
42	1-2	20	78	140	195	1,036	4,197	7,071	7,172	19,909
	3	10	52	403	1,332	10,362	39,422	76,070	92,575	220,226
	4	1	20	291	1,063	8,302	35,246	78,805	107,455	231,183
	5	-	14	210	408	1,478	4,534	10,555	17,089	34,288
	6	-	3	46	138	317	583	806	1,068	2,961
	7	-	1	14	35	92	137	142	135	556
TOTAL----		31	168	1,104	3,171	21,587	84,119	173,449	225,494	509,123
52	1-2	-	-	11	41	194	541	840	862	2,489
	3	-	-	89	542	3,333	8,673	13,024	13,706	39,367
	4	-	-	75	649	4,592	13,612	21,643	22,576	63,147
	5	-	-	16	124	907	3,415	7,423	8,916	20,801
	6	-	1	4	9	72	315	769	1,197	2,367
	7	-	3	16	7	14	44	83	137	304
TOTAL----		-	4	211	1,372	9,112	26,600	43,782	47,394	128,475

Table 2. -- United States: Continued.

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	-	2	2	7	18	23	52
	3	-	-	2	11	51	213	276	282	835
	4	-	-	7	21	77	347	536	445	1,433
	5	-	2	3	18	41	149	244	289	746
	6	-	-	1	5	9	33	76	122	246
	7	-	-	-	-	3	9	13	34	59
TOTAL—		-	2	13	57	183	758	1,163	1,195	3,371
13 & 23	1-2	-	12	66	161	585	1,310	2,271	2,362	6,767
	3	1	16	68	164	546	1,109	2,010	2,062	5,976
	4	-	9	40	61	155	238	303	301	1,107
	5	-	2	15	22	31	38	24	21	153
	6	-	-	2	1	-	2	2	3	10
	7	-	-	1	1	-	-	-	-	2
TOTAL—		1	39	192	410	1,317	2,697	4,610	4,749	14,015
33	1-2	1	22	38	69	210	592	1,621	2,551	5,104
	3	3	65	155	229	996	2,363	5,529	8,451	17,791
	4	-	21	150	238	773	1,523	2,679	3,256	8,640
	5	-	2	30	70	227	323	382	421	1,455
	6	-	13	5	21	29	75	60	20	223
	7	-	-	-	1	8	8	5	4	26
TOTAL—		4	123	378	628	2,243	4,884	10,276	14,703	33,239
43	1-2	-	2	2	4	92	260	462	519	1,341
	3	6	12	26	135	792	2,279	4,359	5,728	13,337
	4	3	2	36	160	874	2,317	4,195	5,151	12,738
	5	-	-	23	76	236	401	619	760	2,115
	6	-	1	11	92	136	84	134	89	547
	7	-	-	1	9	36	44	72	40	202
TOTAL—		9	17	99	476	2,166	5,385	9,841	12,287	30,280
53	1-2	-	-	3	9	30	55	84	128	309
	3	-	2	40	112	379	782	1,418	1,611	4,344
	4	-	2	13	96	487	1,260	1,917	2,155	5,930
	5	-	-	6	17	103	357	584	712	1,779
	6	-	-	1	2	9	63	94	93	262
	7	-	-	-	-	9	32	42	24	107
TOTAL—		-	4	63	236	1,017	2,549	4,139	4,723	12,731
63	1-2	-	-	-	-	1	2	5	4	12
	3	-	-	1,611	1	7	37	67	45	1,768
	4	-	-	-	2	11	44	68	63	188
	5	-	-	-	-	1	18	45	48	112
	6	-	-	-	-	1	3	14	21	39
	7	-	-	-	-	-	4	2	2	8
TOTAL—		-	-	2	3	21	108	201	183	518
24-54	1-7	2	14	98	295	878	2,286	5,075	7,213	15,861
25-35	1-7	-	-	-	-	-	-	8	6	14
81-85 1/	1-7	-	-	-	7	57	147	349	545	1,105
All Colors	8 2/	1	12	42	114	245	325	315	256	1,310
TOTAL, ALL—		936	7,592	50,690	176,886	562,005	1,553,445	3,076,578	4,102,259	9,530,391

Table 2. -- United States: Continued.

QUALITY	LEAF	STAPLE							
COLOR		35	36	37	38	39	40 & +	35 to 40+	TOTAL
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	721,821	621,748	417,088	52,853	6,746	127	1,820,383	4,172,549
	3	192,400	171,868	170,168	38,491	6,890	220	580,037	1,444,728
	4	17,498	12,717	11,031	2,876	650	15	44,787	164,604
	5	932	519	289	57	18	-	1,815	11,236
	6	29	18	10	3	-	-	60	626
	7	1	2	-	-	-	-	3	52
TOTAL----		932,681	806,872	598,586	94,280	14,304	362	2,447,085	5,793,795
31	1-2	245,215	103,985	39,721	3,635	289	12	392,857	1,123,868
	3	657,234	265,696	81,527	10,151	1,210	23	1,015,841	2,440,839
	4	204,186	113,089	36,253	4,852	745	10	359,135	798,399
	5	18,138	12,226	4,556	797	140	1	35,858	121,843
	6	1,097	577	243	64	23	-	2,004	16,875
	7	75	67	24	1	-	-	167	1,865
TOTAL----		1,125,945	495,640	162,324	19,500	2,407	46	1,805,862	4,503,689
41	1-2	32,326	7,503	1,123	85	5	-	41,042	181,052
	3	453,038	140,509	20,016	561	48	-	614,172	1,650,160
	4	384,024	178,139	37,805	1,563	103	6	601,640	1,216,770
	5	45,464	31,455	9,591	626	76	11	87,223	149,273
	6	2,821	2,185	848	79	13	25	5,971	14,533
	7	336	265	132	10	3	7	753	2,974
TOTAL----		918,009	360,056	69,515	2,924	248	49	1,350,801	3,214,762
51	1-2	672	86	29	2	-	-	789	6,998
	3	13,101	2,672	353	13	-	-	16,139	90,518
	4	24,189	7,053	1,123	51	313	1,198	33,927	130,329
	5	12,221	4,381	1,022	54	21	11	17,710	50,480
	6	1,534	629	184	44	31	10	2,432	5,635
	7	180	89	22	7	1	5	304	681
TOTAL----		51,897	14,910	2,733	171	57	27	69,795	283,135
61	1-2	3	-	-	-	-	-	3	80
	3	64	12	2	-	-	-	78	928
	4	165	40	3	-	-	-	208	1,564
	5	247	45	9	-	-	-	301	1,263
	6	131	34	4	2	-	-	171	582
	7	30	9	-	-	-	-	39	93
TOTAL----		640	140	18	2	-	-	800	4,510
71	1-2	-	-	-	-	-	-	-	-
	3	1	-	1	-	-	-	2	17
	4	3	-	-	-	-	-	3	10
	5	-	-	-	-	-	-	-	5
	6	-	-	-	-	-	-	-	2
	7	-	-	-	-	-	-	-	1
TOTAL----		4	-	1	-	-	-	5	35
12 & 22	1-2	24,291	9,223	2,818	237	66	44	36,679	178,931
	3	20,352	7,807	2,225	174	30	22	30,610	145,751
	4	3,737	1,494	481	44	7	-	5,763	31,057
	5	390	96	36	1	-	-	523	2,947
	6	16	7	2	3	-	-	28	184
	7	1	-	-	-	-	-	1	9
TOTAL----		48,787	18,627	5,562	459	103	66	73,604	358,879
32	1-2	10,105	3,198	693	60	10	11	14,077	62,474
	3	60,667	22,749	4,568	245	41	43	88,313	281,429
	4	36,084	16,547	4,217	284	27	8	57,167	160,341
	5	5,537	2,597	779	77	15	1	9,006	30,673
	6	456	147	47	5	-	1	657	3,499
	7	55	28	9	-	1	-	93	393
TOTAL----		112,904	45,266	10,313	672	94	64	169,313	538,809
42	1-2	3,470	870	157	12	1	-	4,510	24,419
	3	60,462	18,662	2,636	78	-	-	81,838	302,064
	4	87,072	37,078	6,892	183	9	-	131,234	362,417
	5	16,566	9,434	2,514	88	5	-	28,607	62,895
	6	1,205	699	241	14	2	1	2,162	5,123
	7	125	110	51	-	1	1	288	844
TOTAL----		168,900	66,853	12,491	375	18	2	248,639	757,762
52	1-2	247	58	20	1	-	-	326	2,815
	3	6,088	1,233	174	4	1	-	7,500	46,867
	4	12,473	3,351	518	19	2	-	16,363	79,510
	5	6,331	2,234	479	14	1	-	9,059	29,860
	6	1,068	431	85	-	7	-	1,591	3,958
	7	142	39	12	-	-	-	193	497
TOTAL----		26,349	7,346	1,288	38	11	-	35,032	163,507

Table 2. -- United States: Continued.

QUALITY	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 &+	35 to 40+	
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	4	2	1	-	-	-	7	59
	3	80	28	8	-	1	-	117	952
	4	193	30	5	-	-	-	228	1,661
	5	217	61	5	-	-	-	281	1,027
	6	101	22	1	-	-	-	124	370
	7	15	1	-	-	-	-	16	75
TOTAL---		610	144	18	-	1	-	773	4,144
13 & 23	1-2	1,233	371	132	5	1	1	1,743	8,510
	3	1,032	369	155	13	-	-	1,569	7,545
	4	144	50	22	1	3	-	220	1,327
	5	10	2	1	-	1	-	14	167
	6	-	-	-	-	-	-	-	10
	7	-	-	-	-	-	-	-	2
TOTAL---		2,419	792	310	19	5	1	3,546	17,561
33	1-2	1,647	487	130	8	3	-	2,275	7,379
	3	5,847	2,386	626	53	6	2	8,920	26,711
	4	2,314	1,025	319	37	3	-	3,698	12,338
	5	247	107	32	12	-	-	398	1,853
	6	22	8	3	2	-	-	35	258
	7	5	-	-	-	-	-	5	31
TOTAL---		10,082	4,013	1,110	112	12	2	15,331	48,570
43	1-2	288	67	20	3	-	-	378	1,719
	3	3,558	1,084	175	11	-	-	4,828	18,165
	4	3,840	1,451	354	20	5	-	5,670	18,408
	5	574	240	89	16	7	2	928	3,043
	6	65	27	12	4	1	-	109	656
	7	19	11	5	1	-	-	36	238
TOTAL---		8,344	2,880	655	55	13	2	11,949	42,229
53	1-2	39	10	2	-	-	-	51	360
	3	686	147	21	1	1	-	856	5,200
	4	1,233	298	50	1	-	-	1,582	7,512
	5	466	170	40	2	-	-	678	2,457
	6	86	45	6	1	-	-	138	400
	7	14	11	1	-	-	-	26	133
TOTAL---		2,524	681	120	5	1	-	3,331	16,062
63	1-2	1	-	-	-	-	-	1	13
	3	13	7	3	-	-	-	23	1,791
	4	33	7	1	-	-	-	41	229
	5	30	5	1	-	-	-	36	148
	6	6	2	-	-	-	-	8	47
	7	3	-	-	-	-	-	3	11
TOTAL---		85	21	5	-	-	-	112	630
24-54	1-7	4,090	1,285	428	60	13	3	5,879	21,740
25-35	1-7	5	4	-	-	-	-	10	24
81-85 1/	1-7	229	81	29	3	-	2	344	1,449
All Colors	8 2/	256	207	113	16	4	46	642	1,952
TOTAL, ALL---		3,414,762	1,825,818	865,619	118,691	17,291	672	6,242,853	15,773,244
EXTRANEEOUS MATTER									
Bark - Level 1		354,980							
Bark - Level 2		1,720							
Grass - Level 1		123,990							
Grass - Level 2		2,141							
Prep - Level 1		6,903							
Prep - Level 2		113							
Other - Level 1		21,569							
Other - Level 2		110							
15,773,244		Bales classed include 20,298 bales from Kansas. 1/ Below Color Grade. 2/ Below Color Grade.							

Average Staple ----- 34.1
Percent Tenderable ----- 61.1

Table 3. -- **United States** : Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	0.1	0.4	1.2	2.0	2.4	2.5	2.3	1.6	0.3	*	*	12.9
	3	*	*	*	0.1	0.2	0.5	1.0	1.3	1.4	1.4	1.3	0.3	*	*	7.5
	4	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	0.7
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---	*	*	0.1	0.2	0.7	1.8	3.1	3.9	3.9	3.8	2.9	0.6	0.1	*	21.2
31	1-2	*	*	*	*	0.1	0.5	1.2	1.7	1.4	0.7	0.3	*	*	*	6.0
	3	*	*	*	0.1	0.3	1.1	3.3	5.5	5.3	2.8	1.2	0.2	*	*	19.8
	4	*	*	*	*	0.1	0.3	0.8	1.3	1.3	0.7	0.3	*	*	*	5.0
	5	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---	*	*	*	0.2	0.5	2.0	5.4	8.6	8.1	4.2	1.8	0.3	*	*	31.2
41	1-2	*	*	*	*	*	0.2	0.6	0.9	0.6	0.2	0.1	*	*	*	2.7
	3	*	*	*	*	0.2	0.9	2.7	5.0	4.5	2.1	0.6	0.1	*	*	16.2
	4	*	*	*	*	0.2	0.5	1.1	1.8	1.9	1.1	0.4	*	*	*	7.1
	5	*	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	*	*	1.2
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---	*	*	*	0.1	0.5	1.9	4.8	8.1	7.2	3.4	1.1	0.1	*	*	27.2
51	1-2	*	*	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2
	3	*	*	*	*	*	0.1	0.3	0.6	0.5	0.2	*	*	*	*	1.7
	4	*	*	*	*	*	*	0.2	0.3	0.3	0.1	*	*	*	*	0.9
	5	*	*	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---	*	*	*	*	*	0.2	0.6	1.0	0.8	0.4	0.1	*	*	*	3.1
61	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
71	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	*	0.9
	3	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	*	*	0.7
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---	*	*	*	0.1	0.2	0.3	0.4	0.4	0.2	0.1	*	*	*	*	1.8
32	1-2	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	*	*	0.7
	3	*	*	0.1	0.1	0.2	0.4	0.5	0.5	0.3	0.1	*	*	*	*	2.2
	4	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	0.8
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---	*	*	0.1	0.3	0.4	0.7	0.8	0.8	0.5	0.1	*	*	*	*	3.8
42	1-2	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.7
	3	*	*	*	0.1	0.3	0.7	1.1	1.3	0.7	0.2	*	*	*	*	4.5
	4	*	*	0.1	0.2	0.3	0.5	0.6	0.6	0.4	0.1	*	*	*	*	2.9
	5	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	*	0.5
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---	*	*	0.1	0.4	0.7	1.4	2.1	2.2	1.3	0.3	*	*	*	*	8.6
52	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	*	*	*	*	*	0.1	0.2	0.3	0.1	*	*	*	*	*	0.8
	4	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.6
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---	*	*	*	*	0.1	0.2	0.5	0.5	0.3	0.1	*	*	*	*	1.8

* Less than 0.05 percent.

Table 3. — United States: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	*	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
TOTAL—		*	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
13 & 23	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	-	-	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
33	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	-	-	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	-	-	*	*
TOTAL—		*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
43	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.3
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*	0.5
53	1-2	*	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	3	*	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
TOTAL—		*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
63	1-2	*	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	3	*	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	4	*	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	5	*	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	*	-	*	*	*	*	*	*	*	-	-	-	*
TOTAL—		*	*	*	*	*	*	*	*	*	*	*	-	-	-	*
24-54	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	*	-	-	*	*	*	*	-	-	*	-	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL—		*	0.1	0.5	1.4	3.4	8.6	17.8	25.7	22.4	12.6	6.2	1.1	0.2	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	6.8															
Bark - Level 2	*															
Grass - Level 1	1.0															
Grass - Level 2	*															
Prep - Level 1	0.1															
Prep - Level 2	*															
Other - Level 1	0.1															
Other - Level 1	*															

16,347,803 bales classed includes 25,703 of Kansas. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	*	0.4	1.4	2.7	2.7	1.1	0.3	*	*	-	-	8.6
	3	-	*	*	*	0.2	0.7	1.8	2.2	1.2	0.3	*	*	-	-	6.5
	4	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	*	*	*	0.6	2.2	4.6	5.1	2.5	0.7	0.1	*	-	-	15.7
31	1-2	-	-	*	*	0.2	1.1	2.3	2.1	0.8	0.1	*	*	-	-	6.6
	3	-	-	*	*	0.5	2.9	7.7	9.1	4.4	1.0	0.1	*	-	-	25.7
	4	-	*	*	*	0.1	0.5	1.5	2.2	1.4	0.4	*	*	-	-	6.1
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	*	*	*	0.8	4.5	11.5	13.5	6.7	1.5	0.1	*	-	-	38.7
41	1-2	-	*	*	*	0.1	0.4	0.7	0.6	0.2	*	*	-	-	-	1.9
	3	-	-	*	*	0.3	1.9	5.4	6.4	3.5	0.7	*	-	-	-	18.2
	4	-	-	*	-	0.1	0.5	1.6	2.7	2.0	0.5	*	-	-	-	7.5
	5	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	*	*	*	0.4	2.9	7.8	9.9	5.8	1.3	0.1	-	-	-	28.2
51	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	*	*	0.2	0.7	1.1	0.7	0.2	*	-	-	-	2.9
	4	-	-	-	-	*	0.1	0.3	0.6	0.4	0.1	*	-	-	*	1.6
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	*	*	0.4	1.2	1.8	1.1	0.3	*	-	-	-	4.8
61	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4
	3	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	-	-	0.9
32	1-2	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	-	0.6
	3	-	*	*	*	0.1	0.4	0.7	0.7	0.2	*	*	-	-	-	2.2
	4	-	-	-	-	*	0.1	0.1	0.2	0.1	*	*	-	-	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	*	*	*	0.2	0.7	1.1	1.0	0.4	0.1	*	*	-	-	3.4
42	1-2	-	*	*	*	*	0.1	0.2	0.1	*	*	-	-	-	-	0.5
	3	*	-	-	*	0.2	0.7	1.2	1.1	0.4	0.1	*	-	-	-	3.8
	4	-	-	-	-	*	0.2	0.4	0.5	0.3	0.1	*	-	-	-	1.4
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	*	*	*	*	0.3	1.1	1.7	1.7	0.8	0.2	*	-	-	-	5.7
52	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	0.1	0.2	0.2	0.2	*	*	-	-	-	0.7
	4	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	-	0.6
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	*	*	0.1	0.4	0.5	0.3	0.1	*	-	-	-	1.5

* Less than 0.05 percent.

Table 4. — *Alabama*: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY		LEAF	2000 CROP														TOTAL
COLOR	STAPLE																
			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL—			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL—			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL—			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
43	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL—			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
53	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL—			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL—			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-35	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL—			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EXTRANEEOUS MATTER																	
Bark - Level 1			2.6														
Bark - Level 2			-														
Grass - Level 1			0.7														
Grass - Level 2			-														
Prep - Level 1			-														
Prep - Level 2			-														
Other - Level 1			-														
Other - Level 2			-														
TOTAL, ALL—																	

533,000 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. - Less than 0.05 percent.

Table 5. -- *Arizona*: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.7	3.8	10.7	11.2	4.9	0.4	*	*	31.9
	3	-	-	-	-	*	*	0.1	0.6	1.5	1.6	0.7	0.1	*	-	4.6
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	*	*	0.1	0.8	4.4	12.4	12.8	5.7	0.5	*	*	36.8
31	1-2	-	-	-	-	*	*	0.2	1.0	2.3	2.3	0.9	*	*	-	6.9
	3	-	-	-	-	*	0.1	0.4	1.7	3.4	3.4	1.4	0.1	*	-	10.4
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.4	0.2	*	*	-	1.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	0.2	0.7	2.9	6.1	6.2	2.6	0.2	*	-	18.8
41	1-2	-	-	-	-	*	*	0.2	0.9	2.0	1.9	0.9	0.1	*	-	6.1
	3	-	-	-	-	*	0.2	0.9	3.7	7.0	6.7	2.9	0.2	*	*	21.5
	4	-	-	-	-	*	*	0.3	1.1	1.5	1.3	0.6	*	*	*	4.9
	5	-	-	-	-	*	*	0.1	0.2	0.2	0.1	0.1	*	*	-	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	0.3	1.6	5.9	10.6	10.1	4.5	0.3	*	*	33.2
51	1-2	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
	3	-	-	-	-	*	*	0.2	0.7	1.0	0.7	0.2	*	*	*	2.8
	4	-	-	-	-	*	*	0.1	0.3	0.5	0.3	0.1	*	-	-	1.4
	5	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	*	*	-	0.5
	6	-	-	-	-	*	*	*	0.1	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL---		-	-	-	-	*	0.1	0.5	1.4	1.8	1.2	0.3	*	*	*	5.2
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL---		-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	0.2	0.6	0.5	0.1	*	*	-	-	1.5
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL---		-	-	-	-	*	0.1	0.4	0.8	0.7	0.2	*	*	-	-	2.3
32	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	4	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL---		-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	1.0
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	0.1	*	*	*	-	*	0.2
	4	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	*	0.5
	5	-	-	-	-	*	0.1	0.1	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL---		-	-	-	*	*	0.2	0.3	0.3	0.1	*	*	*	-	*	1.0
52	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3
	5	-	-	-	-	*	0.1	0.1	*	*	*	*	-	-	-	0.3
	6	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
TOTAL---		-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	*	*	-	0.9

* Less than 0.05 percent.

Table 5. — Arizona: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.2
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL, ALL—		-	-	-	*	0.1	0.8	4.4	16.0	32.6	31.5	13.5	1.0	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		7.8														
Bark - Level 2		0.1														
Grass - Level 1		0.5														
Grass - Level 2		"														
Prep - Level 1		"														
Prep - Level 2		"														
Other - Level 1		0.1														
Other - Level 1		"														
Average Staple														35.3		
Percent Tenderable														55.9		

745,409 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- *Arkansas*: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.4	1.3	1.2	0.4	*	*	-	-	3.5
	3	-	-	-	-	*	*	0.2	1.0	1.6	0.7	0.1	*	-	-	3.6
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	0.1	0.6	2.3	2.9	1.2	0.1	*	-	-	7.3
31	1-2	-	-	-	*	*	0.1	0.9	3.1	3.2	0.9	0.1	*	-	-	8.2
	3	-	-	-	*	*	0.2	1.9	8.5	12.1	4.4	0.3	*	-	-	27.4
	4	-	-	-	-	*	*	0.2	1.0	2.5	1.5	0.2	*	-	-	5.4
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL—	-	-	-	*	*	0.3	2.9	12.6	17.9	6.9	0.6	*	-	-	41.1
41	1-2	-	-	-	*	*	0.1	0.4	1.5	1.3	0.3	*	-	-	-	3.5
	3	-	-	-	*	*	0.3	1.9	7.7	9.4	2.8	0.2	*	-	-	22.2
	4	-	-	-	*	*	0.1	0.5	2.1	3.8	2.0	0.2	*	-	-	8.8
	5	-	-	-	-	*	*	*	0.1	0.3	0.2	*	*	-	-	0.7
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL—	-	-	-	*	*	0.4	2.8	11.4	14.8	5.3	0.5	*	-	-	35.3
51	1-2	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.4	0.4	0.1	*	*	-	-	1.1
	4	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	-	-	-	0.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	0.1	0.3	0.7	0.8	0.3	*	*	-	-	2.2
61	1-2	-	-	-	*	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
71	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	*	*	0.2	0.3	0.2	*	*	*	-	-	0.7
32	1-2	-	-	-	*	*	*	0.1	0.3	0.2	*	*	-	-	-	0.6
	3	-	-	-	-	*	*	0.4	1.1	0.9	0.2	*	*	-	-	2.6
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	*	0.1	0.6	1.5	1.3	0.3	*	*	-	-	3.9
42	1-2	-	-	-	-	*	*	0.1	0.3	0.2	*	*	-	-	-	0.8
	3	-	-	-	-	*	0.1	0.8	1.9	1.6	0.4	*	*	-	-	4.9
	4	-	-	-	-	*	*	0.3	0.7	0.7	0.3	*	*	-	-	2.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	0.2	1.2	2.9	2.7	0.7	0.1	*	-	-	7.8
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	-	-	0.7
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	0.2	0.5	0.4	0.1	*	*	-	-	-	1.3

* Less than 0.05 percent.

Table 6. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	*	0.1	1.2	8.9	32.4	41.1	14.9	1.3	*	-	-	100.0
EXTRANEEOUS MATTER		Average Staple														34.6
		Percent Tenderable														77.7
Bark - Level 1		0.4														
Bark - Level 2		*														
Grass - Level 1		0.5														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 2		*														

1,406,034 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. — **California**: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	-	*	0.1	0.9	2.8	6.1	9.6	8.3	2.0	0.4	*	30.1
	3	-	-	-	-	*	*	0.2	0.7	2.7	6.9	8.0	1.8	0.4	0.1	20.8
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	0.7
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
TOTAL—		-	-	*	-	*	0.1	1.1	3.6	8.8	16.7	16.5	3.9	0.8	0.1	51.6
31	1-2	-	-	-	-	*	*	0.3	0.8	1.7	2.2	1.4	0.3	*	*	6.8
	3	-	-	-	-	*	*	0.2	0.9	3.4	7.5	7.0	1.4	0.2	*	20.6
	4	-	-	-	-	*	*	*	0.1	0.4	1.0	1.3	0.3	*	*	3.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	-	*	0.1	0.5	1.8	5.6	10.8	9.7	1.9	0.2	*	30.6
41	1-2	-	-	-	-	*	*	*	0.2	0.3	0.3	0.2	*	*	*	1.0
	3	-	-	-	-	*	*	0.1	0.6	2.0	3.8	2.4	0.4	*	*	9.4
	4	-	-	-	-	*	*	*	0.1	0.6	1.7	1.4	0.2	*	*	4.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	*	0.2	0.9	3.0	5.9	4.0	0.6	0.1	*	*	14.7
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	*	*	0.1	0.1	0.3	0.2	*	*	*	*	0.7
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	-	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.5
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*	*	0.9
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.2	*	*	*	0.5
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.8
42	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
52	1-2	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1

* Less than 0.05 percent.

Table 7. -- California: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL---		-	-	-	-	-	0.3	1.9	6.6	17.9	34.2	31.0	6.7	1.1	0.2	100.0
EXTRANEEOUS MATTER		Average Staple Percent Tenderable														36.1 ###
Bark - Level 1		0.6														
Bark - Level 2		*														
Grass - Level 1		0.9														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		0.7														
Other - Level 2		*														

2,159,534 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- *Florida*: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.2	1.0	1.3	0.2	*	-	-	-	2.8
	3	-	-	-	-	-	*	0.4	1.3	1.7	0.6	*	-	-	-	4.0
	4	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	0.1	0.6	2.4	3.0	0.9	0.1	-	-	-	7.0
31	1-2	-	-	-	-	*	0.1	0.8	2.7	1.9	0.3	*	-	-	-	5.9
	3	-	-	-	-	*	0.4	3.5	12.2	10.3	2.1	0.1	-	-	-	28.6
	4	-	-	-	-	*	*	0.2	0.8	1.0	0.4	0.1	-	-	-	2.5
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	0.5	4.6	15.7	13.2	2.8	0.2	-	-	-	37.0
41	1-2	-	-	-	*	*	*	0.3	0.6	0.5	0.1	*	-	-	-	1.5
	3	-	-	-	*	*	0.5	3.2	9.5	7.9	2.0	0.2	*	-	-	23.3
	4	-	-	-	-	*	0.1	0.7	2.2	2.7	1.0	0.1	-	-	-	6.8
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	0.7	4.1	12.4	11.0	3.1	0.3	*	-	-	31.6
51	1-2	-	-	-	-	-	*	*	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	-	*	0.1	0.7	2.5	2.1	0.6	*	-	-	-	6.0
	4	-	-	-	-	*	*	0.3	1.2	1.3	0.5	*	-	-	-	3.4
	5	-	-	-	-	-	*	*	*	0.1	*	-	-	-	-	0.1
	6	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	0.1	1.0	3.9	3.5	1.1	0.1	-	-	-	9.7
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
32	1-2	-	-	-	-	*	*	*	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	*	*	0.1	0.4	0.7	0.4	*	*	-	-	-	1.7
	4	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	0.2	0.5	0.9	0.5	0.1	*	-	-	-	2.1
42	1-2	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	*	*	0.4	1.1	1.8	1.2	0.4	*	*	-	-	5.1
	4	-	-	-	-	*	0.2	0.6	1.0	0.7	0.3	*	-	-	-	2.9
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	0.7	1.8	3.0	1.9	0.8	0.1	*	-	-	8.3
52	1-2	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.4	0.4	0.1	-	-	-	-	1.0
	4	-	-	-	-	*	*	0.1	0.5	0.4	0.1	*	-	-	-	1.2
	5	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	0.3	1.0	0.9	0.2	*	-	-	-	2.4

* Less than 0.05 percent.

Table 8. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	-	-	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	-	*	0.1	0.1	*	*	-	-	-	0.2
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	-	-	-	0.7
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	-	0.4
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	-	-	-	1.1
53	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	*	*	0.1	*	*	*	-	-	-	0.2
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	*	0.2	2.4	13.2	39.9	34.4	9.1	0.9	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		3.1														
Bark - Level 2		*														
Grass - Level 1		1.0														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		-														
		-														
Average Staple																34.4
Percent Tenderable																57.0

92,411 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. — **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	*	0.1	0.3	0.4	0.1	*	*	-	-	1.0
	3	-	-	-	*	*	*	0.3	0.8	1.1	0.5	0.1	*	-	-	2.8
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	*	0.1	0.4	1.1	1.5	0.7	0.1	*	-	-	3.9
31	1-2	-	-	-	*	*	0.1	0.5	1.0	0.8	0.2	*	*	-	-	2.6
	3	-	-	-	*	0.1	0.7	3.0	7.1	7.3	2.8	0.5	*	*	-	21.5
	4	-	-	-	*	*	*	0.2	0.5	0.8	0.4	0.1	*	-	-	2.0
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	0.1	0.8	3.6	8.6	8.9	3.4	0.6	*	*	-	26.1
41	1-2	-	-	-	*	*	0.2	0.5	0.6	0.3	0.1	*	*	-	-	1.6
	3	-	-	*	*	0.2	1.5	5.8	11.6	10.1	3.7	0.6	*	-	-	33.4
	4	-	*	-	*	*	0.2	1.0	2.4	2.8	1.4	0.3	*	-	-	8.1
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL—	-	*	*	*	0.2	1.9	7.3	14.8	13.3	5.2	1.0	*	-	-	43.5
51	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	-	*	*	0.4	1.4	2.5	2.2	0.9	0.2	*	-	-	7.6
	4	-	-	-	*	*	0.1	0.5	1.0	1.1	0.5	0.1	*	-	-	3.3
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	TOTAL—	-	-	-	*	0.1	0.6	2.0	3.7	3.5	1.4	0.3	*	-	-	11.5
61	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
71	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	-	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	*	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.7
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	-	-	-	0.9
42	1-2	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	*	*	0.2	0.9	1.8	2.0	0.9	0.2	*	*	-	-	6.0
	4	-	-	-	*	*	0.2	0.6	0.8	0.5	0.1	*	*	-	-	2.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	TOTAL—	-	-	*	*	0.2	1.1	2.5	2.9	1.4	0.3	*	*	-	-	8.6
52	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	*	*	0.1	0.5	0.9	0.6	0.2	*	*	*	-	-	2.4
	4	-	-	-	*	*	0.2	0.4	0.5	0.2	*	*	-	-	-	1.4
	5	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL—	-	-	*	*	0.1	0.8	1.4	1.2	0.5	0.1	*	*	-	-	4.2

* Less than 0.05 percent.

Table 9. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	*	*	*	*	-	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	-	*	*	-	-	-	-	*
	4	-	-	-	*	*	*	*	-	*	*	-	-	-	-	*
	5	-	-	-	*	*	*	*	-	*	*	-	-	-	-	*
	6	-	-	-	*	*	*	*	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	*	*	*	*	-	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	-	*	*	-	-	-	-	*
33	1-2	-	-	-	*	*	*	*	-	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	*	*	*	*	-	*	*	-	-	-	-	*
43	1-2	-	-	*	*	*	*	*	-	*	*	-	-	-	-	*
	3	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	-	0.3
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	*	*	*	*	0.1	0.1	0.1	*	-	-	-	-	0.4
53	1-2	-	-	-	*	*	*	*	-	*	*	-	-	-	-	*
	3	-	-	*	*	*	*	0.1	*	*	*	-	-	-	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	-	0.4
63	1-2	-	-	-	-	-	*	*	-	-	*	-	-	-	-	*
	3	-	-	*	-	*	*	*	-	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	-	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	-	*	*	-	-	-	-	*
24-54	1-7	-	-	-	*	*	*	*	-	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	*	*	*	-	*	*	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL, ALL—		-	*	*	0.1	0.9	5.5	17.8	32.9	29.5	11.3	2.0	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	3.0															Average Staple 34.3
Bark - Level 2	*															Percent Tenderable 71.4
Grass - Level 1	1.8															
Grass - Level 2	*															
Prep - Level 1	0.2															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	*															

1,621,769 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- **Louisiana**: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	1.0	3.0	4.3	3.1	1.0	0.1	*	*	*	-	12.5
	3	-	-	-	*	0.1	0.5	0.8	0.8	0.4	0.1	*	*	*	-	2.8
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	1.1	3.4	5.1	4.0	1.5	0.2	0.1	*	*	-	15.4
31	1-2	-	-	-	*	0.2	1.5	3.6	4.3	2.1	0.4	*	*	*	-	12.2
	3	-	-	-	*	0.1	0.6	2.1	3.8	3.2	1.1	0.2	*	*	-	11.1
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.2	0.1	*	*	-	1.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	*	*	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	*	0.4	2.1	5.8	8.4	5.8	1.7	0.3	*	*	-	24.5
41	1-2	-	-	-	*	0.1	1.1	3.0	3.9	2.0	0.4	*	*	*	-	10.4
	3	-	-	-	*	0.1	1.1	4.4	8.5	6.4	2.0	0.3	*	-	-	22.8
	4	-	-	-	-	*	0.1	0.5	1.5	1.8	0.9	0.2	*	*	-	5.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL—		-	-	-	*	0.2	2.3	7.9	13.9	10.2	3.3	0.5	0.1	*	-	38.4
51	1-2	-	-	-	-	*	0.1	0.2	0.3	0.1	*	*	-	-	-	0.8
	3	-	-	-	-	*	0.1	0.5	0.9	0.5	0.1	*	*	-	-	2.1
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	-	0.9
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	0.2	0.9	1.5	1.0	0.3	*	*	-	-	3.9
61	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	*	0.1	0.3	0.4	0.3	0.1	*	*	-	-	-	1.1
	3	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	0.2	0.4	0.6	0.5	0.2	*	*	-	-	-	1.8
32	1-2	-	-	-	*	0.1	0.2	0.4	0.4	0.2	*	*	-	-	-	1.4
	3	-	-	-	*	0.1	0.3	0.6	0.7	0.4	0.1	*	-	-	-	2.1
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	0.2	0.6	1.1	1.3	0.7	0.1	*	*	-	-	4.0
42	1-2	-	-	-	*	*	0.2	0.4	0.5	0.2	*	*	-	-	-	1.5
	3	-	-	-	-	0.1	0.5	1.3	1.9	1.2	0.3	*	-	-	-	5.1
	4	-	-	-	-	*	0.1	0.4	0.8	0.7	0.2	*	*	-	-	2.2
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	0.1	0.8	2.1	3.2	2.1	0.5	*	*	-	-	8.8
52	1-2	-	-	-	-	*	*	0.1	0.2	*	*	-	-	-	-	0.3
	3	-	-	-	-	*	0.1	0.3	0.5	0.2	*	*	-	-	-	1.1
	4	-	-	-	-	*	*	0.2	0.3	0.2	*	*	*	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	0.2	0.6	0.9	0.5	0.1	*	*	-	-	2.3

* Less than 0.05 percent.

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
53	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	0.1	*	*	*	-	-	-	-	0.2
63	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	*	2.2	10.1	24.2	34.0	22.1	6.3	1.0	0.1	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.3														
Bark - Level 2		*														
Grass - Level 1		0.3														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

923,276 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. — *Mississippi*: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	0.3	1.1	1.4	1.1	0.5	0.1	*	-	-	-	4.5
	3	-	-	-	*	0.1	0.4	0.6	0.7	0.4	0.1	*	*	-	-	2.4
	4	-	-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	0.4	1.5	2.1	1.9	0.9	0.3	*	*	-	*	7.1
31	1-2	-	-	-	*	0.1	0.7	2.0	2.7	1.4	0.3	*	*	-	-	7.3
	3	-	-	-	*	0.1	0.7	2.7	4.7	3.5	1.0	0.1	*	-	-	12.9
	4	-	-	-	*	*	0.1	0.3	0.6	0.7	0.3	*	*	-	-	2.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL—		-	-	-	*	0.2	1.6	5.0	8.1	5.6	1.6	0.2	*	-	-	22.3
41	1-2	-	-	-	*	0.1	0.6	1.7	2.1	0.9	0.1	*	-	-	-	5.6
	3	-	-	-	*	0.1	1.1	4.8	9.0	6.1	1.6	0.1	*	-	-	22.8
	4	-	-	-	*	*	0.2	0.9	2.4	2.6	1.0	0.1	*	*	-	7.2
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	*	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL—		-	-	-	*	0.3	2.0	7.4	13.5	9.7	2.8	0.3	*	*	*	36.0
51	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	0.2
	3	-	-	-	-	*	0.1	0.4	0.7	0.5	0.1	*	*	-	-	1.8
	4	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	*	-	-	1.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
TOTAL—		-	-	-	*	*	0.2	0.7	1.2	0.9	0.2	*	*	-	-	3.3
61	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
12 & 22	1-2	-	-	-	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	-	0.9
	3	-	-	-	*	*	0.2	0.3	0.3	0.1	*	*	-	-	-	1.0
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	0.1	0.4	0.6	0.6	0.2	*	*	-	-	-	2.0
32	1-2	-	-	-	*	0.1	0.2	0.4	0.5	0.3	*	*	-	-	-	1.6
	3	-	-	-	*	*	0.3	0.7	1.0	0.6	0.2	*	*	-	-	2.8
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.7
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	*	0.1	0.6	1.3	1.7	1.1	0.3	*	*	-	-	5.1
42	1-2	-	-	-	*	0.1	0.4	0.8	0.8	0.4	*	*	-	-	-	2.5
	3	-	-	-	*	0.2	1.0	2.7	4.0	2.5	0.6	*	*	-	-	11.0
	4	-	-	-	*	*	0.2	0.9	1.8	1.6	0.6	0.1	*	-	-	5.3
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
TOTAL—		-	-	-	*	0.3	1.6	4.4	6.7	4.6	1.4	0.1	*	-	-	19.2
52	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	-	*	*	0.2	0.5	0.8	0.4	0.1	*	*	-	-	2.0
	4	-	-	-	*	*	0.1	0.4	0.6	0.5	0.2	*	-	-	-	1.7
	5	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL—		-	-	-	*	*	0.3	1.0	1.5	1.0	0.3	*	*	-	-	4.2

* Less than 0.05 percent.

Table 11. -- *Mississippi*: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
TOTAL—		-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
TOTAL—		-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
53	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2
63	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
TOTAL, ALL—		-	-	-	*	1.6	8.3	22.8	35.6	24.2	6.8	0.7	*	*	*	100.0
EXTRANEEOUS MATTER		Average Staple														34.0
		Percent Tenderable														50.5
Bark - Level 1		0.4														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 2		-														

1,676,423 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. — *Missouri*: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	0.1	0.8	1.5	0.5	*	*	-	-	3.0
	3	-	-	-	-	-	-	0.1	0.8	1.9	0.8	0.1	*	-	-	3.7
	4	-	-	-	-	-	-	*	-	0.1	-	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	0.2	1.7	3.6	1.4	0.1	*	-	-	6.9
31	1-2	-	-	-	-	*	*	0.6	3.2	4.2	1.3	0.1	*	-	-	9.4
	3	-	-	-	-	*	*	1.0	7.2	13.7	5.5	0.5	*	-	-	27.9
	4	-	-	-	-	*	*	0.1	0.8	2.0	1.0	0.1	*	-	-	4.0
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	0.1	1.7	11.2	19.9	7.9	0.7	*	-	41.5
41	1-2	-	-	-	-	*	*	0.4	1.5	1.7	0.5	*	*	-	-	4.2
	3	-	-	-	-	*	0.1	1.3	7.3	11.0	4.0	0.4	*	-	-	24.0
	4	-	-	-	-	*	*	0.3	1.7	2.9	1.2	0.1	*	-	-	6.2
	5	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	0.1	2.0	10.5	15.7	5.7	0.6	*	-	34.7
51	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	-	*	0.1	0.4	0.5	0.1	*	-	-	-	1.1
	4	-	-	-	-	*	*	*	0.2	0.2	*	*	-	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	0.2	0.7	0.7	0.2	*	-	-	-	1.7
61	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	0.1	0.2	*	*	-	-	-	0.4
32	1-2	-	-	-	-	-	*	0.1	0.4	0.3	*	*	-	-	-	0.8
	3	-	-	-	-	*	*	0.2	1.0	1.0	0.3	*	-	-	-	2.5
	4	-	-	-	-	-	*	*	0.2	0.2	0.1	*	-	-	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	0.3	1.6	1.5	0.4	*	-	-	-	3.9
42	1-2	-	-	-	-	*	*	0.2	0.5	0.3	*	*	-	-	-	1.0
	3	-	-	-	-	*	*	0.6	2.7	2.3	0.4	*	-	-	-	6.1
	4	-	-	-	-	*	*	0.2	0.7	0.9	0.2	*	-	-	-	2.0
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	0.1	1.0	3.9	3.5	0.7	*	-	-	9.2
52	1-2	-	-	-	-	-	*	*	0.1	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.4	0.3	*	*	-	-	-	0.9
	4	-	-	-	-	*	*	*	0.2	0.2	*	*	-	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	0.2	0.7	0.5	0.1	*	-	-	-	1.5

* Less than 0.05 percent.

Table 12. — Missouri: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	2000 CRCL STAPLE																	
COLOR		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.			
62	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*			
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*			
	4	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*			
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*			
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
TOTAL—		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*			
13 & 23	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*			
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*			
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*			
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
TOTAL—		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*			
33	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*			
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*			
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*			
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
TOTAL—		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*			
43	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*			
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	0.1			
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*			
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
TOTAL—		-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1			
53	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*			
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*			
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*			
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*			
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
TOTAL—		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*			
63	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*			
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*			
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
TOTAL—		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*			
24-54	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*			
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*			
All Colors	8 2/	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*			
TOTAL, ALL—		-	-	-	-	*	0.3	5.6	30.5	45.7	16.4	1.5	*	-	-	100.0			
EXTRANEEOUS MATTER																	Average Staple	34.8	
Bark - Level 1		0.3																Percent Tenderable	82.5
Bark - Level 2		-																	
Grass - Level 1		0.8																	
Grass - Level 2		-																	
Prep - Level 1		*																	
Prep - Level 2		*																	
Other - Level 1		*																	
Other - Level 1		-																	

502,083 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. -- *New Mexico*: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.6	1.5	4.8	9.4	12.2	3.9	0.8	*	33.5
	3	-	-	-	-	*	0.1	0.5	0.6	0.9	2.1	4.1	2.6	0.9	*	11.9
	4	-	-	-	-	-	*	*	0.1	0.2	0.2	1.0	1.0	0.4	*	2.9
	5	-	-	-	-	-	*	*	-	*	*	0.1	0.1	0.1	*	0.3
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	0.2	1.2	2.2	6.0	11.8	17.4	7.6	2.1	0.1	48.6
31	1-2	-	-	-	-	*	0.2	0.5	0.5	1.5	3.0	2.9	0.7	0.1	*	9.4
	3	-	-	-	-	*	0.1	0.3	0.6	1.4	1.6	2.6	1.5	0.4	*	8.7
	4	-	-	-	-	*	0.1	0.2	0.2	0.3	0.6	2.7	2.9	1.1	0.1	8.2
	5	-	-	-	-	-	*	*	*	*	0.1	0.6	0.8	0.4	*	2.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
TOTAL—		-	-	-	-	0.1	0.4	1.1	1.4	3.2	5.3	8.9	6.0	2.0	0.1	28.5
41	1-2	-	-	-	-	*	*	*	0.1	0.5	0.6	0.3	*	*	-	1.6
	3	-	-	-	-	*	0.1	0.2	0.4	1.3	1.0	0.8	0.2	*	-	3.8
	4	-	-	-	-	*	0.1	0.2	0.3	0.7	1.0	2.6	1.5	0.4	*	6.8
	5	-	-	-	-	-	*	0.1	*	0.1	0.4	2.2	1.7	0.5	*	5.0
	6	-	-	-	-	-	*	*	*	*	0.1	0.3	0.3	0.1	*	0.8
	7	-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.1
TOTAL—		-	-	-	-	*	0.2	0.5	0.8	2.6	3.1	6.2	3.7	1.0	*	18.2
51	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	0.1	0.1	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	0.1	0.2	0.3	0.2	*	*	0.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	0.1	0.1	0.2	*	*	-	0.4
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.4	0.1	*	*	0.8
	4	-	-	-	-	-	-	-	*	*	*	0.2	0.1	*	*	0.4
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	0.2	0.3	0.9	0.3	0.1	*	1.7
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	4	-	-	-	-	-	-	*	*	*	*	0.2	0.1	*	*	0.4
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	0.1	0.2	0.4	0.3	0.1	*	1.1
42	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	-	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	-	-	0.4
52	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*

* Less than 0.05 percent.

Table 13. — New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY		LEAF	2000 CROP														TOTAL
COLOR	STAPLE																
			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—			-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
33	1-2		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3		-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	0.2
	4		-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	5		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—			-	-	-	-	-	-	*	*	*	0.1	0.2	*	*	-	0.3
43	1-2		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—			-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
53	1-2		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
TOTAL—			-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
63	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
25-35	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/		-	-	-	-	0.1	0.9	2.8	4.6	12.2	21.1	34.5	18.2	5.3	0.3	0.1
TOTAL, ALL—			-	-	-	-	0.1	0.9	2.8	4.6	12.2	21.1	34.5	18.2	5.3	0.3	100.0
EXTRANEEOUS MATTER																	
Bark - Level 1			2.6														
Bark - Level 2			-														
Grass - Level 1			0.2														
Grass - Level 2			-														
Prep - Level 1			*														
Prep - Level 2			*														
Other - Level 1			*														
Other - Level 1			-														
				Average Staple													
				Percent Tenderable													
				36.5													
				81.6													

59,678 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. — *North Carolina*: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.7
	3	-	-	-	*	*	0.6	1.5	1.8	1.2	0.3	*	*	-	-	5.5
	4	-	-	-	*	*	*	0.2	0.2	0.1	*	*	*	-	-	0.6
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	0.1	0.7	1.9	2.3	1.4	0.4	*	*	-	-	6.8
31	1-2	-	-	-	*	*	0.1	0.3	0.3	0.2	0.1	*	-	-	-	1.0
	3	-	-	-	*	0.2	2.6	9.7	14.4	11.8	4.0	0.4	*	-	-	43.1
	4	-	-	-	*	0.1	1.0	4.3	7.2	5.9	2.2	0.3	*	-	-	21.0
	5	-	-	-	-	*	0.1	0.4	0.6	0.4	0.1	*	-	-	-	1.6
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	*	0.2	3.8	14.8	22.6	18.3	6.4	0.8	*	-	-	66.9
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.4	1.8	3.0	2.7	1.1	0.2	*	-	-	9.3
	4	-	-	-	*	*	0.5	2.2	3.7	3.3	1.4	0.3	*	-	-	11.5
	5	-	-	-	*	*	0.1	0.5	0.7	0.5	0.2	*	*	-	-	2.1
	6	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	*	0.1	1.2	4.6	7.7	6.6	2.7	0.5	*	-	-	23.4
51	1-2	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	*	0.3
	5	-	-	-	-	*	*	0.1	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.7
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	4	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	*	*	0.1	0.2	0.3	0.2	*	*	*	-	-	0.8
42	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	0.5
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	0.9
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1

* Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY		LEAF	2000 CRO1 STAPLE														
COLOR			26 ■ - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	-	0.4	6.0	22.0	33.5	27.0	9.7	1.3	-	-	-	-	100.0
EXTRANEEOUS MATTER																	
Bark - Level 1		3.0															
Bark - Level 2		*															
Grass - Level 1		3.6															
Grass - Level 2		*															
Prep - Level 1		0.1															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

1,406,966 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. — **Oklahoma:** Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	0.2	0.4	0.5	0.9	3.0	7.7	12.6	15.1	8.3	0.4	*	-	49.1
	3	-	*	0.2	0.4	0.6	0.5	0.6	0.8	1.4	1.3	0.5	*	*	-	6.4
	4	-	*	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	*	*	-	-	1.0
	5	-	*	*	*	*	*	*	*	-	*	-	-	-	-	0.1
	6	-	-	*	*	*	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	0.1	0.4	0.9	1.3	1.7	3.7	8.6	14.1	16.5	8.9	0.5	*	-	56.5
31	1-2	-	-	*	*	*	*	0.1	0.2	0.4	0.5	0.3	*	*	-	1.5
	3	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.6
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	*	*	*	0.1	0.1	0.2	0.3	0.5	0.7	0.4	*	*	-	2.4
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	*	*	*	*	*	0.2	0.1	*	*	-	*	-	-	0.4
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	TOTAL—	-	*	*	*	*	0.1	0.2	0.1	*	*	*	*	-	-	0.6
51	1-2	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	-	-	-	0.4
	3	-	-	*	*	*	0.1	0.3	0.4	0.3	0.3	0.1	*	-	-	1.5
	4	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	*	*	*	0.1	0.4	0.6	0.5	0.4	0.1	*	-	-	2.2
61	1-2	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	-	-	0.4
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	*	*	*	*	0.1	0.3	0.4	0.2	0.1	*	-	-	1.1
71	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
12 & 22	1-2	-	*	0.1	0.2	0.3	0.3	0.5	1.0	0.9	0.5	0.2	*	-	-	4.0
	3	-	*	0.1	0.3	0.3	0.2	0.2	0.4	0.5	0.2	0.1	*	-	-	2.4
	4	-	*	*	0.1	0.1	0.1	*	*	0.1	*	*	-	-	-	0.6
	5	-	*	*	*	*	*	-	*	*	*	*	-	-	-	0.1
	6	-	-	*	*	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	0.1	0.3	0.6	0.8	0.6	0.8	1.4	1.5	0.8	0.3	*	-	-	7.1
32	1-2	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	-	-	0.6
	3	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	-	-	0.7
	4	-	*	*	*	*	*	*	*	0.1	*	*	*	-	-	0.3
	5	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.2
	6	-	*	*	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	*	*	*	*	*	-	-	-	-	-	-	-	*
	TOTAL—	-	*	0.1	0.1	0.1	0.1	0.2	0.3	0.4	0.3	0.2	*	-	-	1.8
42	1-2	*	*	*	*	*	0.1	0.1	*	*	*	*	-	-	-	0.4
	3	*	0.1	0.2	0.3	0.4	0.8	1.5	1.1	0.4	0.1	*	*	-	-	5.0
	4	*	*	0.1	0.3	0.3	0.3	0.4	0.3	0.1	*	-	-	-	-	1.8
	5	*	*	*	*	0.1	0.1	*	*	*	-	-	-	-	-	0.3
	6	-	*	*	-	*	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	TOTAL—	*	0.2	0.3	0.6	0.9	1.6	2.7	1.9	0.6	0.1	*	*	-	-	8.9
52	1-2	*	*	*	*	0.1	0.3	0.7	0.5	0.1	*	*	-	-	-	1.8
	3	*	0.1	0.2	0.3	0.4	0.8	1.5	1.1	0.4	0.1	*	*	-	-	5.0
	4	*	*	0.1	0.3	0.3	0.3	0.4	0.3	0.1	*	-	-	-	-	1.8
	5	*	*	*	*	0.1	0.1	*	*	*	-	-	-	-	-	0.3
	6	-	*	*	-	*	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	TOTAL—	*	0.2	0.3	0.6	0.9	1.6	2.7	1.9	0.6	0.1	*	*	-	-	8.9

* Less than 0.05 percent.

Table 15. — Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY		LEAF	2000 CROZ STAPLE														TOTAL
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	*	*	*	*	0.1	0.3	0.6	0.5	0.1	*	-	-	-	1.8	
	3	-	*	*	*	0.1	0.2	0.3	0.4	0.5	0.2	0.1	*	-	-	1.9	
	4	-	*	*	*	*	0.1	0.1	*	*	*	*	-	-	-	0.3	
	5	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*	
TOTAL—			*	*	*	0.1	0.2	0.5	0.7	1.0	1.0	0.4	0.1	*	-	4.0	
13 & 23	1-2	-	-	*	*	*	*	*	0.1	0.1	0.1	*	-	-	-	0.5	
	3	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.2	
	4	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	*	*	-	-	*	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL—			-	*	*	0.1	0.1	*	0.1	0.1	0.1	0.1	*	-	-	0.8	
33	1-2	-	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	-	-	0.7	
	3	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	-	-	0.6	
	4	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1	
	5	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	*	*	-	-	-	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
TOTAL—			-	*	*	0.1	0.1	*	0.3	0.3	0.3	0.2	*	-	-	1.5	
43	1-2	*	*	*	0.1	0.1	*	*	*	*	*	*	-	-	-	0.4	
	3	*	0.1	0.2	0.3	0.2	0.1	*	*	*	*	*	-	-	-	1.0	
	4	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.2	
	5	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	*	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL—			*	0.1	0.2	0.4	0.4	0.2	0.1	*	*	*	-	-	-	1.6	
53	1-2	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*	*	*	-	-	-	1.0	
	3	0.1	0.3	0.4	0.5	0.5	0.4	0.3	0.1	*	*	*	-	-	-	2.8	
	4	*	0.1	0.1	0.2	0.2	0.1	0.1	*	*	*	*	-	-	-	1.0	
	5	*	*	*	*	0.1	*	*	*	*	*	*	-	-	-	0.2	
	6	-	*	*	*	*	-	-	-	-	-	-	-	-	-	*	
	7	-	*	*	*	-	-	-	-	-	-	-	-	-	-	*	
TOTAL—			0.1	0.5	0.7	1.0	1.0	0.8	0.6	0.2	0.1	*	*	*	-	4.9	
63	1-2	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	-	-	0.6	
	3	*	*	0.1	0.2	0.2	0.3	0.2	0.1	0.1	*	*	-	-	-	1.3	
	4	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	-	-	0.4	
	5	*	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1	
	6	-	*	*	*	*	*	*	-	-	-	-	-	-	-	*	
	7	-	-	*	-	-	*	-	-	-	-	-	-	-	-	*	
TOTAL—			*	0.1	0.2	0.4	0.4	0.5	0.4	0.2	0.1	*	-	-	-	2.3	
24-54	1-7	*	*	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	*	-	-	1.3	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	-	-	-	0.7	
All Colors	8 2/	-	*	*	*	*	*	*	-	-	-	-	-	-	-	*	
TOTAL, ALL—			0.2	1.2	2.6	4.9	6.1	7.1	10.9	15.8	19.9	20.2	10.5	0.6	*	100.0	
EXTRANEEOUS MATTER																	
Bark - Level 1			22.8														
Bark - Level 2			*														
Grass - Level 1			*														
Grass - Level 2			*														
Prep - Level 1			0.1														
Prep - Level 2			-														
Other - Level 1			-														
Other - Level 2			-														
			Average Staple														
			Percent Tenderable														
			34.1														
			52.1														

145,557 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	■	■	0.3	0.8	1.2	0.9	0.3	*	*	-	-	3.5
	3	-	-	-	■	■	0.4	1.7	3.4	2.7	1.1	0.2	■	-	-	9.4
	4	-	-	-	-	*	■	0.1	0.2	0.2	0.1	■	■	-	-	0.5
	5	-	-	-	-	-	*	■	■	■	■	*	-	-	-	■
	■	-	-	-	-	-	-	-	-	■	-	-	-	-	-	*
	■	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	■	0.1	0.7	2.5	4.8	3.7	1.5	0.2	■	-	-	13.5
31	1-2	-	-	-	*	0.1	0.5	1.2	1.2	0.6	0.1	*	-	-	-	3.6
	3	-	-	-	*	0.3	3.0	10.3	14.0	8.9	2.7	0.3	*	-	-	39.6
	4	-	-	-	*	*	0.3	1.5	2.9	2.5	1.0	0.2	*	-	-	8.5
	5	-	-	-	-	*	*	*	0.2	0.2	0.1	*	-	-	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	■	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	0.4	3.8	13.1	18.3	12.2	3.9	0.5	*	-	-	52.2
41	1-2	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.7
	3	-	-	-	*	0.2	2.0	5.3	5.6	3.2	0.9	0.1	*	-	-	17.4
	4	-	-	-	*	0.1	0.5	1.9	2.7	2.1	0.8	0.1	*	-	-	8.2
	5	-	-	-	*	*	*	0.1	0.3	0.2	0.1	*	-	-	-	0.7
	6	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	■	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	*	0.3	2.7	7.6	8.9	5.7	1.8	0.2	*	-	-	27.2
51	1-2	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	4	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	*	0.7
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	■	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL—		-	-	-	*	0.2	0.4	0.4	0.2	0.1	*	*	-	-	-	1.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	■	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	■	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	■	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	■	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.2	0.4	0.2	0.1	*	*	*	-	-	0.9
	4	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	■	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	■	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	0.2	0.5	0.4	0.2	*	*	*	-	-	1.4
42	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	0.1	0.5	0.8	0.5	0.2	*	*	*	-	-	2.1
	4	-	-	-	*	*	0.2	0.5	0.4	0.2	*	*	-	-	-	1.3
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	■	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL—		-	-	-	*	0.1	0.7	1.3	0.9	0.4	0.1	*	*	-	-	3.6
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-
	■	-	-	-	*	*	*	0.1	*	*	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	0.1	*	*	*	*	-	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	■	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	■	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL—		-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4

■ Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY		LEAF	2000 CROP STAPLE														TOTAL	
COLOR			26 ■ - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 ■ 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1		
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1		
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Colors	8 2/	-	-	-	-	0.9	8.4	25.7	33.9	22.5	7.5	1.0	-	-	-	100.0		
TOTAL, ALL		-	-	-	-	0.9	8.4	25.7	33.9	22.5	7.5	1.0	-	-	-	100.0		
EXTRANEEOUS MATTER																Average Staple	34.0	
																Percent Tenderable	79.5	
Bark - Level 1		1.2																
Bark - Level 2		■																
Grass - Level 1		2.1																
Grass - Level 2		■																
Prep - Level 1		■																
Prep - Level 2		■																
Other - Level 1		■																
Other - Level 1		-																

357,984 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. ■ Less than 0.05 percent.

Table 17. -- *Tennessee*: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	0.2	1.4	4.1	3.5	1.0	0.1	*	*	-	-	10.4
	3	-	-	-	-	0.1	0.7	2.5	3.1	1.3	0.2	*	*	-	-	7.8
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	0.3	2.2	6.6	6.8	2.3	0.3	*	*	-	-	18.5
31	1-2	-	-	-	-	0.3	2.3	4.8	3.6	1.1	0.1	*	-	-	-	12.3
	3	-	-	-	-	0.4	3.5	11.4	13.3	5.2	0.7	*	*	-	-	34.4
	4	-	-	-	-	*	0.3	1.0	1.8	1.0	0.2	*	*	-	-	4.3
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	0.7	6.0	17.2	18.8	7.4	1.0	*	*	-	-	51.1
41	1-2	-	-	-	-	*	0.3	0.7	0.6	0.2	*	*	-	-	-	1.9
	3	-	-	-	-	0.2	1.4	4.5	5.6	2.2	0.3	*	*	-	-	14.1
	4	-	-	-	-	0.1	0.4	1.1	1.5	0.8	0.1	*	-	-	-	4.0
	5	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	0.3	2.2	6.4	7.8	3.2	0.5	*	*	-	-	20.4
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	0.1	0.2	0.2	0.2	*	*	*	-	-	-	0.6
	4	-	-	-	-	*	0.1	0.2	0.1	*	*	-	-	-	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	0.1	0.4	0.4	0.3	0.1	*	*	-	-	-	1.3
61	1-2	-	-	-	-	*	*	*	*	-	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
71	1-2	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	*	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	0.1	0.1	0.1	*	*	*	*	-	-	0.3
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.7
32	1-2	-	-	-	-	*	0.3	0.4	0.3	0.1	*	*	-	-	-	1.0
	3	-	-	-	-	*	0.3	0.8	0.7	0.2	*	*	*	-	-	2.1
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	0.1	0.6	1.3	1.1	0.4	0.1	*	*	-	-	3.5
42	1-2	-	-	-	-	*	0.1	0.2	0.1	*	*	-	-	-	-	0.5
	3	-	-	-	-	*	0.3	0.8	0.7	0.2	*	*	-	-	-	2.2
	4	-	-	-	-	*	0.1	0.2	0.3	0.1	*	*	-	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	0.1	0.6	1.3	1.1	0.4	*	*	-	-	-	3.5
52	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.1	*	*	*	-	-	-	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4

* Less than 0.05 percent.

Table 17. — Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY		2000 CROCI														
	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL—	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL—	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL—	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL—	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL—	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL—	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL—		-	-	-	-	1.7	12.2	33.8	36.3	13.9	2.0	0.1	*	-	-	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		0.5														
Bark - Level 2		-														
Grass - Level 1		0.3														
Grass - Level 2		-														
Prep - Level 1		-														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														
		Average Staple 33.5														
		Percent Tenderable 76.7														

691,310 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. -- *Texas*: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	0.1	0.4	1.3	3.0	4.6	4.4	2.7	1.2	0.6	*	*	*	18.3
	3	*	*	0.1	0.3	0.8	1.4	1.9	1.8	1.2	0.7	0.6	*	*	*	8.8
	4	*	*	*	0.1	0.2	0.3	0.4	0.3	0.2	0.1	0.1	*	*	-	1.7
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	*	*	*	-	*	*	*	-	-	-	-	-	*
TOTAL---		*	*	0.2	0.8	2.3	4.8	6.9	6.5	4.1	2.1	1.3	0.1	*	*	29.1
31	1-2	*	*	*	0.1	0.2	0.7	1.3	1.2	0.7	0.2	0.1	*	*	-	4.6
	3	*	*	0.1	0.3	0.8	1.5	2.1	1.6	0.8	0.4	0.3	*	*	*	8.0
	4	*	*	0.1	0.2	0.4	0.6	0.7	0.5	0.3	0.2	0.1	*	*	*	3.2
	5	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	-	0.6
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
TOTAL---		*	*	0.2	0.7	1.6	3.1	4.1	3.5	1.8	0.9	0.6	0.1	*	*	16.5
41	1-2	-	*	*	*	0.1	0.2	0.4	0.4	0.2	0.1	*	*	*	-	1.3
	3	*	*	*	0.2	0.6	1.3	2.1	1.9	0.9	0.4	0.1	*	*	*	7.5
	4	*	*	*	0.2	0.7	1.6	2.1	1.7	0.7	0.3	0.2	*	*	*	7.6
	5	-	*	*	0.1	0.3	0.7	0.9	0.6	0.2	0.1	*	*	*	*	3.0
	6	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	0.5
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL---		*	*	0.1	0.5	1.7	3.9	5.6	4.7	2.1	0.8	0.4	*	*	*	20.0
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	-	0.6
	4	-	*	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	0.1	0.6
	5	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL---		*	*	*	*	0.1	0.2	0.5	0.6	0.3	0.2	0.1	*	*	-	1.9
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL---		-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	*	-	*	*	*	*	-	-	-	-	-	-	*
	3	-	*	-	-	*	*	*	*	-	-	-	-	-	-	*
	4	-	*	*	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL---		-	*	*	-	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	*	*	*	0.1	0.3	0.5	0.5	0.4	0.1	*	*	*	*	-	2.1
	3	*	*	0.1	0.1	0.3	0.4	0.4	0.3	0.1	*	*	*	*	-	1.8
	4	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	-	0.4
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
TOTAL---		*	*	0.1	0.3	0.6	1.0	1.0	0.8	0.3	0.1	*	*	*	-	4.3
32	1-2	*	*	0.1	0.1	0.2	0.3	0.3	0.1	*	*	*	*	*	-	1.1
	3	*	0.1	0.3	0.6	0.9	1.2	1.0	0.5	0.1	*	*	*	*	*	4.8
	4	*	*	0.1	0.3	0.4	0.5	0.4	0.2	0.1	*	*	*	*	-	2.1
	5	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	-	0.3
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL---		*	0.1	0.5	1.1	1.6	2.0	1.7	0.9	0.3	0.1	*	*	*	*	8.4
42	1-2	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	*	-	0.6
	3	*	*	0.2	0.6	1.1	1.6	1.6	0.9	0.2	*	*	*	*	*	6.3
	4	*	*	0.2	0.7	1.2	1.7	1.6	0.8	0.2	*	*	*	*	-	6.6
	5	*	*	0.1	0.2	0.3	0.5	0.5	0.2	0.1	*	*	*	*	-	1.8
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL---		*	0.1	0.5	1.5	2.8	4.1	3.9	2.0	0.5	0.1	*	*	*	*	15.6
52	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	0.5
	4	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	*	-	0.6
	5	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	-	0.4
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL---		*	*	*	0.1	0.2	0.4	0.5	0.3	0.1	*	*	*	*	-	1.7

* Less than 0.05 percent.

Table 18. — Texas: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	0.1	0.1	-	-	-	-	-	-	-	0.3
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	0.1	0.1	0.1	-	-	-	-	-	-	-	-	0.3
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	0.1	0.1	0.1	0.1	0.1	-	-	-	-	-	-	-	0.5
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	0.1	0.1	0.2	0.1	0.1	-	-	-	-	-	-	-	0.7
	4	-	-	0.1	0.1	0.1	0.1	-	-	-	-	-	-	-	-	0.5
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	0.2	0.3	0.3	0.3	0.1	0.1	-	-	-	-	-	-	1.3
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	0.1	0.1	0.1	-	-	-	-	-	-	-	-	0.4
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	0.5	2.1	5.6	11.6	19.9	24.6	19.4	9.6	4.2	2.3	0.2	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		22.0														
Bark - Level 2		-														
Grass - Level 1		0.4														
Grass - Level 2		-														
Prep - Level 1		0.2														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

Table 19. — *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	-	-	0.2	1.1	1.4	1.2	0.7	0.1	-	-	-	4.7
	4	-	-	-	-	*	0.1	0.3	0.5	0.4	0.2	*	-	-	-	1.5
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.3	1.5	2.0	1.6	0.9	0.1	-	-	-	6.5
31	1-2	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	-	-	-	0.5
	3	-	-	-	*	*	1.2	5.9	10.0	12.0	8.5	1.8	*	-	-	39.4
	4	-	-	-	*	*	0.7	4.6	9.1	9.6	5.0	0.9	*	-	-	29.9
	5	-	-	-	*	*	0.1	0.7	1.3	1.1	0.4	*	-	-	-	3.6
	6	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	0.1	2.0	11.3	20.6	23.0	14.0	2.8	*	-	-	73.8
41	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.5	1.1	1.5	1.1	0.2	*	-	-	4.6
	4	-	-	-	-	*	0.2	1.3	2.6	3.3	1.8	0.3	*	-	-	9.7
	5	-	-	-	-	*	0.1	0.6	1.1	1.0	0.4	*	-	-	-	3.3
	6	-	-	-	-	*	*	0.1	0.3	0.2	*	*	-	-	-	0.7
	7	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.5	2.5	5.1	6.1	3.4	0.6	*	-	-	18.2
51	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	0.1	*	*	*	-	-	-	0.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
32	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.2
	4	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.2	0.2	0.1	0.1	*	*	-	-	0.7
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	-	-	-	0.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
2000 CROP

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	5	-	-	-	-	*	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL, ALL----		-	-	-	*	0.1	2.9	15.6	28.3	31.1	18.5	3.5	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		1.5														
Bark - Level 2		*														
Grass - Level 1		4.1														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

Average Staple 34.6
Percent Tenderable 72.7

146,655 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Extraneous matter by specified causes of upland cotton classed in the United States, by states, 2000 crop.

State	Preparation		Bark		Grass		Seed		Oil		Spindle Twist		Other		Total	
	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2
	Bales		Bales		Bales		Bales		Bales		Bales		Bales		Bales	
Alabama	113	0	13,974	46	3,910	61	11	0	4	0	0	0	7	1	18,019	108
Arizona	22	0	57,808	817	3,507	36	820	4	3	0	0	0	94	0	62,254	857
Arkansas	32	1	5,671	7	7,586	31	19	0	16	0	1	0	13	0	13,338	39
California	397	4	13,552	42	18,903	322	15,858	4	15	3	177	0	69	0	48,971	375
Florida	81	0	2,880	2	949	24	0	0	0	0	0	0	0	0	3,910	26
Georgia	4,743	24	76,743	730	39,905	204	166	5	9	0	45	0	52	0	121,663	963
Kansas	0	0	15,310	0	217	0	0	0	1	0	0	0	8	0	15,536	0
Louisiana	79	7	2,719	133	2,813	10	2	0	4	0	0	0	12	0	5,629	150
Mississippi	133	0	6,990	5	4,142	12	6	0	20	0	0	0	18	0	11,309	17
Missouri	33	2	1,512	0	3,897	0	4	0	1	0	0	0	2	0	5,449	2
New Mexico	1	1	1,544	0	144	0	4	0	1	0	0	0	12	0	1,706	1
North Carolina	1,997	0	42,138	432	50,063	317	5	0	0	0	0	0	1	0	94,204	749
Oklahoma	83	0	33,206	6	80	4	3	0	4	0	0	0	8	0	33,384	10
South Carolina	81	0	4,146	5	7,617	14	0	0	0	0	0	0	1	0	11,845	19
Tennessee	28	1	3,362	0	1,996	0	17	0	1	0	0	0	7	0	5,411	1
Texas	7,474	19	849,779	107	15,987	211	544	0	59	4	3	1	195	0	874,041	342
Virginia	67	0	2,224	1	5,968	27	1	0	0	0	0	0	0	0	8,260	28
United States	15,364	59	1,133,558	2,333	167,684	1,273	17,460	13	138	7	226	1	499	1	1,334,929	3,687

Table 21. -- Tenderability of upland cotton classed, by states, 2000 crop

State	Tenderable 1/		Untenderable	
	<i>Bales</i>	<i>Pct.</i>	<i>Bales</i>	<i>Pct.</i>
Alabama	353,548	66.3	179,452	33.7
Arizona	416,999	55.9	328,410	44.1
Arkansas	1,091,965	77.7	314,069	22.3
California	1,918,334	88.8	241,200	11.2
Florida	52,703	57.0	39,708	43.0
Georgia	1,158,501	71.4	463,268	28.6
Kansas	530	2.1	25,173	97.9
Louisiana	563,250	61.0	360,026	39.0
Mississippi	981,309	58.5	695,114	41.5
Missouri	414,074	82.5	88,009	17.5
New Mexico	48,670	81.6	11,008	18.4
North Carolina	1,124,680	79.9	282,286	20.1
Oklahoma	75,893	52.1	69,664	47.9
South Carolina	284,602	79.5	73,382	20.5
Tennessee	530,183	76.7	161,127	23.3
Texas	1,340,604	34.8	2,513,407	65.2
Virginia	106,636	72.7	40,019	27.3
United States	10,462,481	64.0	5,885,322	36.0

1/ Tenderable with respect to color, leaf, staple and mike in settlement of New York No. 2 futures contracts.

Table 22. -- Tenderability of upland cotton classed, in the United States, 1980-2000 crops.

Year	Tenderable 1/		Untenderable	
	<i>Bales</i>	<i>Pct.</i>	<i>Bales</i>	<i>Pct.</i>
1980	5,405,563	50.4	5,316,703	49.6
1981	6,361,006	42.2	8,711,848	57.8
1982	7,166,579	62.7	4,263,069	37.3
1983	3,864,764	52.1	3,548,570	47.9
1984	5,414,575	43.6	7,004,174	56.4
1985	7,252,955	56.5	5,584,133	43.5
1986	4,073,446	44.1	5,163,393	55.9
1987	8,588,694	61.0	5,494,696	39.0
1988	8,743,021	60.5	5,719,472	39.5
1989	6,889,963	62.9	4,067,843	37.1
1990	8,034,460	55.5	6,443,058	44.5
1991	9,576,743	58.2	6,867,923	41.8
1992	10,082,486	67.4	4,881,090	32.6
1993	9,262,901	61.7	5,747,395	38.3
1994	11,968,375	64.7	6,541,523	35.3
1995	10,492,168	62.6	6,259,089	37.4
1996	11,469,168	64.9	6,199,753	35.1
1997	12,042,873	68.5	5,532,967	31.5
1998	7,351,983	56.5	5,659,801	43.5
1999	9,631,731	61.1	6,141,513	38.9
2000	10,462,481	64.0	5,885,322	36.0

1/ 1980-1981 tenderable on New York No. 2 futures contracts; 1982, New York No. 2 and New Orleans; 1983-1984, New York No. 2; 1985, New York and Chicago; and 1986-2000 New York No. 2 futures contracts.

Table 23. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2000 crop.

ABILENE						BIRMINGHAM			CORPUS CHRISTI		DUMAS	
Color	Leaf	Kansas	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total
11 & 21	1-2	6.3	49.1	33.7	36.6	8.6	3.2	7.9	21.5	1.3	4.4	3.5
	3	6.8	6.4	8.2	7.6	6.5	2.8	6.0	11.5	2.5	2.2	2.3
	4	2.3	1.0	0.8	0.9	0.7	*	0.6	1.3	0.2	0.1	0.2
	5	0.2	0.1	0.1	0.1	*	-	*	*	*	*	*
	6	*	*	-	*	*	-	*	*	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-
	Total	15.7	56.5	42.8	45.2	15.7	6.0	14.5	34.4	4.1	6.7	6.0
31	1-2	0.1	1.5	3.4	2.7	6.6	6.9	6.7	12.4	7.1	7.1	7.1
	3	0.5	0.6	4.8	3.4	25.7	28.3	26.0	13.5	27.4	11.3	15.8
	4	1.1	0.2	0.8	0.6	6.1	2.0	5.6	2.8	6.8	1.7	3.1
	5	0.8	0.1	0.1	0.1	0.3	*	0.2	0.3	0.2	*	0.1
	6	0.2	*	*	*	*	-	*	*	*	*	*
	7	*	-	*	*	-	-	-	*	*	*	*
	Total	2.8	2.4	9.0	6.9	38.7	37.1	38.5	29.0	41.5	20.1	26.1
41	1-2	0.1	0.1	0.6	0.4	1.9	1.6	1.9	3.2	4.7	6.0	5.6
	3	0.3	0.4	4.7	3.3	18.2	21.2	18.6	8.0	25.8	23.4	24.0
	4	0.3	*	2.5	1.7	7.5	6.7	7.4	3.0	11.0	7.2	8.2
	5	0.2	*	0.4	0.3	0.5	0.1	0.4	0.3	0.7	0.3	0.4
	6	0.1	*	*	*	*	-	*	*	*	*	*
	7	-	*	*	*	-	-	-	*	*	*	*
	Total	0.9	0.6	8.2	5.7	28.2	29.5	28.3	14.6	42.2	36.8	38.3
51	1-2	*	0.4	0.1	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.2
	3	*	1.5	1.3	1.3	2.9	6.2	3.3	1.1	1.3	1.8	1.7
	4	*	0.3	1.8	1.3	1.6	3.9	1.8	0.4	1.0	1.1	1.0
	5	*	*	1.0	0.7	0.1	0.2	0.1	0.1	0.2	0.1	0.1
	6	*	*	0.2	0.1	*	*	*	*	*	*	*
	7	*	-	*	*	-	-	-	*	*	*	*
	Total	0.1	2.2	4.5	3.7	4.8	10.4	5.5	1.9	2.7	3.3	3.1
61	1-2	-	0.6	*	0.2	*	*	*	*	*	*	*
	3	-	0.4	0.1	0.2	*	*	*	*	*	*	*
	4	-	*	0.1	0.1	*	*	*	*	*	*	*
	5	-	-	0.1	0.1	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	-	*	*
	7	*	-	*	*	-	-	-	-	-	-	-
	Total	*	1.1	0.3	0.5	0.1	0.1	0.1	*	0.1	*	*
71	1-2	-	*	-	*	-	-	-	-	-	-	-
	3	-	*	-	*	-	-	-	*	*	*	*
	4	-	*	*	*	-	-	-	-	*	*	*
	5	-	-	*	*	-	-	-	-	*	-	*
	6	-	-	*	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-
	Total	-	0.1	*	*	-	-	-	*	*	*	*
12 & 22	1-2	2.7	4.0	9.5	7.6	0.4	*	0.3	2.3	0.2	1.0	0.7
	3	5.5	2.4	4.9	4.3	0.4	0.1	0.4	2.1	0.1	1.0	0.8
	4	2.9	0.6	0.7	0.8	0.1	*	0.1	0.4	*	0.2	0.1
	5	0.5	0.1	0.1	0.1	*	-	*	*	*	*	*
	6	*	*	*	*	-	-	-	*	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-
	Total	11.6	7.1	15.2	12.8	0.9	0.1	0.8	4.8	0.3	2.1	1.6
32	1-2	0.2	0.6	1.5	1.2	0.6	0.2	0.6	1.4	0.2	1.6	1.2
	3	1.1	0.7	2.3	1.8	2.2	1.9	2.2	3.9	0.9	2.7	2.2
	4	1.6	0.3	0.5	0.5	0.5	0.3	0.5	1.0	0.4	0.6	0.6
	5	0.8	0.2	0.1	0.1	*	-	*	0.1	*	*	*
	6	0.2	*	*	*	*	-	*	*	*	*	*
	7	*	*	-	*	-	-	-	*	-	*	*
	Total	4.0	1.8	4.3	3.6	3.4	2.4	3.3	6.4	1.5	5.0	4.0
42	1-2	0.9	0.4	0.6	0.6	0.5	0.3	0.5	0.9	0.6	2.8	2.2
	3	7.3	1.4	3.2	2.9	3.8	5.8	4.0	4.3	3.3	11.8	9.4
	4	3.8	0.3	2.4	1.9	1.4	3.4	1.6	1.8	1.9	5.6	4.6
	5	0.5	0.1	0.5	0.4	0.1	0.1	0.1	0.2	0.1	0.4	0.3
	6	0.1	*	*	*	*	-	*	*	*	*	*
	7	*	*	*	*	-	-	-	*	-	-	-
	Total	12.6	2.3	6.7	5.8	5.7	9.6	6.2	7.2	5.9	20.6	16.5
52	1-2	0.3	1.8	0.3	0.7	0.1	*	0.1	0.1	0.1	0.3	0.2
	3	9.5	5.0	1.7	3.0	0.7	1.2	0.8	0.6	0.6	2.2	1.7
	4	11.4	1.8	1.7	2.2	0.6	1.5	0.7	0.3	0.4	1.8	1.4
	5	1.9	0.3	0.9	0.8	0.1	0.2	0.1	*	0.1	0.3	0.2
	6	0.3	*	0.2	0.1	*	*	*	*	*	*	*
	7	0.1	*	*	*	-	-	-	*	*	*	*
	Total	23.5	8.9	4.7	6.8	1.5	2.9	1.6	1.1	1.2	4.6	3.6

Table 23. - Continued.

ABILENE						BIRMINGHAM			CORPUS CHRISTI	DUMAS		
Color	Leaf	Kansas	Oklahoma	Texas	Classing Office Total 1/	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total
62	1-2	-	1.8	*	0.5	*	-	*	*	*	*	*
	3	0.1	1.9	0.1	0.6	*	*	*	*	*	*	*
	4	0.3	0.3	0.1	0.2	*	*	*	*	*	*	*
	5	*	*	0.1	0.1	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	-	-	-	*	*	*	*
	Total	0.4	4.0	0.3	1.4	*	*	*	*	0.1	*	*
13 & 23	1-2	*	0.5	0.6	0.6	*	*	*	*	*	*	*
	3	0.3	0.2	0.4	0.4	*	*	*	0.1	*	*	*
	4	0.2	0.1	0.1	0.1	*	*	*	*	*	*	*
	5	0.1	*	*	*	*	*	*	*	*	*	*
	6	*	-	*	*	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*
	Total	0.6	0.8	1.1	1.0	*	*	*	0.2	*	0.1	*
33	1-2	*	0.7	0.2	0.3	*	*	*	*	*	*	*
	3	0.3	0.6	0.2	0.3	0.1	0.2	0.1	0.1	*	*	*
	4	0.4	0.1	*	0.1	*	*	*	*	*	*	*
	5	0.2	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	-	-	-	*	*	*	*
	7	-	*	-	*	-	-	-	*	*	*	*
	Total	1.0	1.5	0.3	0.7	0.2	0.2	0.2	0.2	*	0.1	0.1
43	1-2	0.6	0.4	0.1	0.2	*	*	*	*	*	*	*
	3	1.9	1.0	0.4	0.6	0.3	0.8	0.3	0.1	0.1	0.3	0.2
	4	0.5	0.2	0.1	0.2	0.2	0.4	0.2	0.1	*	0.1	0.1
	5	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	-	*	*	*	*	*
	7	-	*	-	*	-	-	-	*	*	*	*
	Total	3.1	1.6	0.7	1.1	0.5	1.3	0.6	0.2	0.1	0.5	0.4
53	1-2	0.9	1.0	0.2	0.4	*	*	*	*	*	*	*
	3	11.2	2.8	0.8	1.8	0.1	0.1	0.1	*	0.1	0.1	0.1
	4	6.1	1.0	0.3	0.8	0.1	0.1	0.1	*	*	0.1	0.1
	5	0.7	0.2	0.1	0.1	*	*	*	*	*	*	*
	6	0.1	*	*	*	*	-	*	*	*	*	*
	7	-	*	*	*	-	-	-	*	*	*	*
	Total	19.0	4.9	1.3	3.2	0.2	0.2	0.2	0.1	0.1	0.2	0.2
63	1-2	*	0.6	*	0.2	-	-	*	*	*	*	*
	3	0.6	1.3	0.1	0.4	*	-	*	*	*	*	*
	4	0.8	0.4	*	0.2	*	*	*	*	*	*	*
	5	0.3	0.1	*	0.1	*	-	*	*	*	*	*
	6	*	*	*	*	*	-	*	*	*	*	*
	7	*	*	*	*	*	-	*	*	*	*	*
	Total	1.8	2.3	0.2	0.8	*	*	*	*	*	*	*
24 - 54	1-7	1.9	1.3	0.1	0.5	0.1	0.1	0.1	*	*	*	*
25 - 35	1-7	-	-	-	-	*	-	*	*	*	*	*
81 - 85 1/	1-7	1.1	0.7	0.1	0.3	*	-	*	*	*	*	*
All Colors	8 2/	0.1	*	*	*	-	-	-	*	*	*	*
STAPLE												
28 & shorter		4.7	1.3	0.3	0.8	*	-	*	*	-	-	-
29		9.9	2.6	1.5	2.2	*	-	*	*	-	-	-
30		17.8	4.9	5.3	5.8	0.1	*	0.1	0.6	*	*	*
31		24.6	6.1	12.9	11.6	2.4	0.2	2.1	3.7	*	1.5	1.1
32		21.2	7.1	21.3	17.4	12.3	2.5	11.1	13.4	0.6	7.8	5.8
33		16.1	10.9	23.5	19.6	28.9	13.4	27.0	25.5	5.6	22.0	17.4
34		5.3	15.8	19.9	18.1	34.1	40.8	34.9	25.9	27.1	35.5	33.2
35		0.4	19.9	11.3	13.1	17.7	34.1	19.8	15.2	45.2	25.0	30.7
36		*	20.2	3.3	7.8	4.1	8.4	4.6	8.3	19.6	7.3	10.7
37		*	10.5	0.7	3.4	0.4	0.6	0.4	6.6	1.9	0.8	1.1
38 & longer		-	0.6	0.1	0.2	*	*	*	0.7	*	*	*
All Staples		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	25.3	100.0	100.0
Average staple		31.2	34.1	32.9	33.1	33.7	34.3	33.7	33.9	34.0	34.0	34.2
Total Classed		25,703	145,557	354,156	525,416	533,000	75,177	608,177	1,078,355	573,432	1,479,240	2,052,672

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 24. - Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2000 crop.

FLORENCE						LAMESA	LUBBOCK	MACON		
Color	Leaf	North Carolina	South Carolina	Virginia	Classing Office Total	Texas	Texas	Florida	Georgia	Classing Office Total
11 & 21	1-2	0.7	3.5	0.2	1.2	22.6	13.0	1.2	1.0	1.0
	3	5.5	9.4	4.7	6.2	5.7	8.2	9.3	2.8	2.8
	4	0.6	0.5	1.5	0.7	1.9	2.0	0.7	0.1	0.1
	5	*	*	0.1	*	0.1	0.3	*	*	*
	6	*	*	*	*	*	*	-	-	-
	7	-	-	-	-	-	*	-	-	-
	Total	6.8	13.5	6.5	8.0	30.4	23.5	11.2	3.9	4.0
31	1-2	1.0	3.6	0.5	1.4	3.3	0.8	1.7	2.6	2.6
	3	43.1	39.6	39.4	42.2	8.0	5.7	30.2	21.5	21.5
	4	21.0	8.5	29.9	19.4	4.6	3.7	4.6	2.0	2.0
	5	1.6	0.5	3.6	1.6	0.4	0.9	0.1	0.1	0.1
	6	0.1	*	0.3	0.1	*	0.1	-	*	*
	7	*	-	-	*	*	*	-	*	*
	Total	66.9	52.2	73.8	64.7	16.2	11.2	36.7	26.1	26.3
41	1-2	0.1	0.7	*	0.2	0.8	0.3	0.9	1.6	1.6
	3	9.3	17.4	4.6	10.4	5.9	7.7	32.4	33.4	33.4
	4	11.5	8.2	9.7	10.7	8.7	10.9	7.3	8.1	8.1
	5	2.1	0.7	3.3	1.9	2.2	5.0	0.3	0.4	0.4
	6	0.4	0.2	0.7	0.4	0.2	0.8	*	*	*
	7	*	*	*	*	*	*	-	*	*
	Total	23.4	27.2	18.2	23.7	17.7	24.9	40.9	43.5	43.5
51	1-2	*	*	*	*	*	*	0.1	0.3	0.3
	3	0.1	0.6	*	0.2	0.2	0.2	5.1	7.6	7.6
	4	0.3	0.7	0.1	0.4	0.3	0.6	1.4	3.3	3.3
	5	0.2	0.2	0.1	0.2	0.1	0.5	*	0.3	0.3
	6	0.1	*	*	*	*	0.2	-	*	*
	7	*	*	*	*	*	*	-	*	*
	Total	0.7	1.5	0.2	0.8	0.6	1.5	6.6	11.5	11.5
61	1-2	-	-	-	-	*	*	-	*	*
	3	*	*	-	*	*	*	*	0.1	0.1
	4	*	*	-	*	*	*	*	0.1	0.1
	5	*	*	-	*	*	*	-	*	*
	6	*	*	-	*	*	*	-	*	*
	7	*	*	-	*	-	*	-	*	*
	Total	*	*	-	*	*	*	*	0.3	0.3
71	1-2	-	-	-	-	*	*	-	*	*
	3	*	*	-	*	*	*	-	*	*
	4	-	-	-	-	-	*	-	*	*
	5	-	-	-	-	-	*	-	*	*
	6	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-
	Total	*	*	-	*	*	*	-	*	*
12 & 22	1-2	*	*	-	*	2.4	0.8	-	*	*
	3	0.1	*	*	0.1	1.9	1.1	0.1	*	*
	4	*	*	*	*	0.7	0.3	0.1	*	*
	5	*	*	*	*	0.1	0.1	*	*	*
	6	-	-	-	-	*	*	-	-	-
	7	-	-	-	-	*	*	-	-	-
	Total	0.1	0.1	*	0.1	5.1	2.2	0.2	*	*
32	1-2	*	0.1	*	*	1.6	0.9	*	0.1	0.1
	3	0.4	0.9	0.2	0.5	5.4	5.7	0.7	0.7	0.7
	4	0.3	0.4	0.4	0.4	3.7	2.7	0.2	0.1	0.1
	5	0.1	*	0.1	0.1	0.5	0.5	*	*	*
	6	*	*	*	*	0.1	*	-	-	-
	7	*	-	-	*	*	*	-	-	-
	Total	0.8	1.4	0.7	0.9	11.2	9.8	1.0	0.9	0.9
42	1-2	*	0.1	-	*	0.6	0.4	0.1	0.3	0.3
	3	0.3	2.1	0.1	0.6	4.4	8.4	1.9	6.0	5.9
	4	0.5	1.3	0.2	0.6	7.6	9.8	0.8	2.2	2.1
	5	0.1	0.1	0.1	0.1	2.3	2.9	*	0.1	0.1
	6	*	*	*	*	0.3	0.3	-	*	*
	7	*	*	*	*	*	*	-	*	*
	Total	0.9	3.6	0.4	1.4	15.2	21.9	2.8	8.6	8.5
52	1-2	-	*	-	*	*	*	-	0.1	0.1
	3	*	0.2	*	*	0.1	0.3	0.2	2.4	2.4
	4	*	0.2	*	0.1	0.2	0.6	0.1	1.4	1.4
	5	*	*	*	*	0.2	0.5	*	0.2	0.2
	6	*	*	*	*	0.1	0.2	-	*	*
	7	*	*	-	*	*	*	-	*	*
	Total	0.1	0.4	*	0.1	0.7	1.6	0.3	4.2	4.1

Table 24. - Continued.

		FLORENCE				LAMESA	LUBBOCK	MACON		
Color	Leaf	North Carolina	South Carolina	Virginia	Classing Office Total	Texas	Texas	Florida	Georgia	Classing Office Total
62	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	0.2	-	-	-	-
	3	-	-	-	-	0.2	0.1	-	-	-
	4	-	-	-	-	0.1	-	-	-	-
	5	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	0.4	0.2	-	-	-
33	1-2	-	-	-	-	0.1	0.1	-	-	-
	3	-	-	-	-	0.5	0.4	0.1	-	-
	4	0.1	-	-	-	0.3	0.1	-	-	-
	5	-	-	-	-	0.1	-	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
Total		0.1	0.1	0.1	0.1	1.0	0.7	0.2	0.1	0.1
43	1-2	-	-	-	-	0.1	0.1	-	-	-
	3	-	-	-	-	0.5	1.0	0.1	0.3	0.3
	4	0.1	-	-	0.1	0.6	0.7	-	0.1	0.1
	5	-	-	-	-	0.1	0.2	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
Total		0.2	0.1	0.1	0.1	1.4	2.0	0.2	0.4	0.4
53	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	0.1	-	0.2	0.2
	4	-	-	-	-	-	0.1	-	0.1	0.1
	5	-	-	-	-	-	0.1	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	0.1	0.4	-	0.4	0.4
63	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-
24 - 54	1-7	-	-	-	-	0.1	0.1	-	-	-
25 - 35	1-7	-	-	-	-	-	-	-	-	-
81 - 85 1/	1-7	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-
STAPLE										
28 & shorter		-	-	-	-	0.4	0.8	-	-	-
29		-	-	-	-	2.3	3.2	-	-	-
30		-	-	-	-	5.9	8.3	-	0.1	0.1
31		0.4	0.9	0.1	0.5	11.4	15.7	0.1	0.9	0.9
32		6.0	8.4	2.9	6.2	18.4	23.8	1.9	5.5	5.5
33		22.0	25.7	15.6	22.2	23.1	25.0	12.4	17.8	17.7
34		33.5	33.9	28.3	33.2	20.8	16.0	35.5	32.9	33.0
35		27.0	22.5	31.1	26.5	11.7	5.6	35.8	29.5	29.5
36		9.7	7.5	18.5	10.0	4.4	1.3	12.3	11.3	11.3
37		1.3	1.0	3.5	1.4	1.2	0.2	1.8	2.0	2.0
38 & longer		-	-	-	-	0.3	-	-	-	-
All Staples		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple		34.2	34.0	34.6	34.2	32.9	32.4	34.5	34.3	34.3
Total Classed		1,406,966	357,984	146,655	1,911,605	302,119	2,071,532	17,234	1,621,769	1,639,003

1/ Below Grade Color. 2/ Below Grade Leaf. - Less than 0.05 percent.

Table 25. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2000 crop.

MEMPHIS							PHOENIX				
Color	Leaf	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
11 & 21	1-2	4.9	3.0	5.6	10.4	6.3	31.9	45.0	33.5	35.9	33.6
	3	4.3	3.7	5.6	7.8	5.4	4.6	8.5	11.9	2.4	5.4
	4	0.3	0.2	1.1	0.3	0.3	0.3	0.3	2.9	0.1	0.5
	5	*	*	*	*	*	*	*	0.3	*	*
	6	*	-	-	-	*	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-
	Total	9.5	6.9	12.3	18.5	12.0	36.8	53.8	48.6	38.4	39.5
31	1-2	9.0	9.4	9.0	12.3	10.1	6.9	25.9	9.4	13.1	9.5
	3	27.6	27.9	31.4	34.4	30.1	10.4	11.3	8.7	7.4	10.2
	4	4.4	4.0	6.7	4.3	4.4	1.4	2.5	8.2	0.5	1.9
	5	0.2	0.1	0.3	0.1	0.1	0.1	0.1	2.1	0.1	0.2
	6	*	*	*	*	*	*	*	0.1	*	*
	7	-	*	-	-	*	-	-	*	-	*
	Total	41.0	41.5	47.4	51.1	44.8	18.8	39.8	28.5	21.1	21.9
41	1-2	2.8	4.2	1.1	1.9	2.8	6.1	2.4	1.6	10.5	5.6
	3	19.7	24.0	11.3	14.1	18.5	21.5	1.0	3.8	21.2	18.1
	4	7.3	6.2	7.9	4.0	6.0	4.9	0.4	6.8	1.6	4.4
	5	0.6	0.2	0.8	0.3	0.5	0.6	*	5.0	0.1	0.8
	6	*	*	*	*	*	0.1	-	0.8	*	0.1
	7	*	-	*	*	*	*	-	0.1	-	*
	Total	30.5	34.7	21.2	20.4	27.7	33.2	3.8	18.2	33.5	29.0
51	1-2	0.1	0.2	*	0.1	0.1	0.4	0.1	*	1.4	0.4
	3	0.9	1.1	0.3	0.6	0.8	2.8	*	0.1	3.1	2.3
	4	0.6	0.4	0.5	0.5	0.5	1.4	*	0.3	0.5	1.1
	5	0.1	*	0.2	0.1	0.1	0.5	-	0.3	0.1	0.4
	6	*	*	*	*	*	0.1	-	0.1	*	0.1
	7	*	-	*	*	*	*	-	*	-	*
	Total	1.8	1.7	1.0	1.3	1.6	5.2	0.1	0.9	5.1	4.4
61	1-2	*	*	*	*	*	*	-	-	*	*
	3	*	*	*	0.1	*	*	-	-	*	*
	4	*	*	*	*	*	*	-	*	*	*
	5	*	*	*	*	*	*	-	*	*	*
	6	*	*	*	*	*	*	-	*	-	*
	7	-	-	-	*	*	*	-	-	-	*
	Total	0.1	*	0.1	0.1	0.1	0.1	-	*	0.1	0.1
71	1-2	*	-	-	*	*	*	-	-	-	*
	3	*	-	-	*	*	*	-	-	-	*
	4	*	-	-	*	*	*	-	-	-	*
	5	*	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	Total	*	-	-	*	*	*	-	-	-	*
12 & 22	1-2	0.4	0.2	0.5	0.3	0.3	1.5	0.4	0.4	0.4	1.2
	3	0.5	0.2	0.6	0.3	0.4	0.6	0.2	0.8	0.1	0.6
	4	*	*	0.1	*	*	0.1	0.1	0.4	*	0.2
	5	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	*
	Total	1.0	0.4	1.2	0.7	0.8	2.3	0.6	1.7	0.6	2.0
32	1-2	1.0	0.8	1.6	1.0	1.0	0.2	0.1	0.1	0.4	0.2
	3	3.7	2.5	4.5	2.1	3.0	0.3	0.6	0.4	0.4	0.4
	4	0.7	0.5	1.5	0.3	0.6	0.3	0.7	0.4	0.2	0.4
	5	*	*	0.1	*	*	0.1	0.1	0.1	*	0.1
	6	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	-	-	-	*
	Total	5.4	3.9	7.7	3.5	4.6	1.0	1.4	1.1	1.0	1.0
42	1-2	0.9	1.0	0.6	0.5	0.8	*	*	*	*	*
	3	6.0	6.1	4.0	2.2	4.7	0.2	0.1	0.1	*	0.2
	4	2.1	2.0	3.0	0.7	1.7	0.5	0.2	0.1	0.1	0.4
	5	0.1	0.1	0.3	0.1	0.1	0.2	0.1	0.1	*	0.2
	6	*	*	*	*	*	0.1	*	0.1	-	0.1
	7	*	-	*	-	*	*	-	*	-	*
	Total	9.0	9.2	7.9	3.5	7.2	1.0	0.3	0.4	0.1	0.9
52	1-2	0.1	0.1	*	*	0.1	*	*	*	*	*
	3	0.7	0.9	0.3	0.2	0.6	0.1	*	-	-	0.1
	4	0.4	0.4	0.3	0.1	0.3	0.3	-	*	*	0.2
	5	0.1	*	0.1	*	*	0.3	*	*	*	0.2
	6	*	*	*	*	*	0.2	-	*	*	0.2
	7	*	*	*	*	*	0.1	-	*	-	0.1
	Total	1.3	1.5	0.6	0.4	1.0	0.9	*	0.1	*	0.7

Table 25. - Continued.

MEMPHIS							PHOENIX				
Color	Leaf	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total 1/	Arizona	California	New Mexico	Texas	Classing Office Total
62	1-2	*	*	-	*	*	*	-	-	-	*
	3	*	*	*	*	*	*	-	-	-	*
	4	*	*	*	*	*	*	-	-	-	*
	5	*	*	*	*	*	*	-	-	*	*
	6	*	*	*	*	*	*	-	-	-	*
	7	-	-	*	*	*	*	-	-	-	*
Total	13 & 23	*	*	0.1	0.1	*	0.1	-	-	*	*
	1-2	*	*	*	*	*	*	-	*	*	*
	3	*	*	0.1	*	*	*	-	*	*	*
	4	*	*	*	*	*	*	-	*	*	*
	5	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
Total	33	*	*	0.1	*	*	0.1	-	0.1	*	0.1
	1-2	*	*	*	*	*	0.1	-	*	*	0.1
	3	*	*	0.1	0.1	*	0.1	*	0.2	0.1	0.1
	4	*	*	0.1	*	*	0.1	*	0.1	*	0.1
	5	*	-	*	*	*	*	-	*	-	*
	6	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	*
Total	43	*	0.1	0.1	0.1	0.1	0.2	0.1	0.3	0.1	0.2
	1-2	*	*	*	*	*	*	-	*	*	*
	3	0.1	0.1	0.1	0.1	0.1	*	*	*	-	*
	4	*	*	0.1	*	*	*	*	*	-	*
	5	*	*	*	*	*	*	-	*	-	*
	6	*	-	-	*	*	*	-	*	-	*
	7	-	-	-	-	-	*	-	*	-	*
Total	53	0.1	0.1	0.2	0.1	0.1	0.1	*	0.1	*	0.1
	1-2	*	*	*	*	*	*	-	*	-	*
	3	*	*	*	*	*	*	-	-	-	*
	4	*	*	*	*	*	*	-	*	-	*
	5	*	*	*	*	*	*	-	*	-	*
	6	*	*	-	*	*	*	-	*	-	*
	7	-	-	-	-	-	*	-	*	-	*
Total	63	0.1	*	*	*	0.1	0.1	-	*	-	0.1
	1-2	*	*	-	*	*	*	-	-	-	*
	3	*	*	*	*	*	*	-	-	-	*
	4	*	*	*	*	*	*	-	-	-	*
	5	*	-	*	*	*	*	-	-	-	*
	6	*	*	*	-	*	*	-	-	-	*
	7	-	-	-	-	*	*	-	-	-	*
Total	24 - 54	*	*	*	*	*	*	-	-	-	*
	1-7	*	*	*	*	*	*	-	0.1	-	*
	25 - 35	-	-	-	-	*	-	-	-	-	*
	1-7	*	*	*	*	*	*	-	-	-	*
	81 - 85 1/	*	*	*	*	*	*	-	-	-	*
	8 2/	-	*	-	*	*	*	-	0.1	-	*
STAPLE											
28 & shorter		-	-	-	-	-	-	-	-	-	*
29		-	-	*	-	*	*	*	-	-	*
30		-	-	*	-	*	*	-	-	-	*
31		0.1	*	2.8	1.7	0.7	0.1	*	0.1	*	0.1
32		1.7	0.3	13.0	12.2	5.4	0.8	0.9	0.9	0.5	0.1
33		11.2	5.6	30.5	33.8	18.3	4.4	4.2	2.8	2.7	4.2
34		36.0	30.5	34.9	36.3	34.8	16.0	14.4	4.6	10.0	14.9
35		38.3	45.7	16.2	13.9	30.0	32.6	37.0	12.2	28.7	31.7
36		11.7	16.4	2.5	2.0	9.1	31.5	35.2	21.1	40.4	31.7
37		1.0	1.5	0.2	0.1	0.8	13.5	7.9	34.5	16.2	14.3
38 & longer		*	*	*	*	*	1.0	0.2	23.8	1.4	2.4
All Staples		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple		34.5	34.8	33.6	33.6	34.2	35.3	35.3	36.5	35.6	35.4
Total Classed		826,864	502,083	123,292	691,310	2,143,549	745,409	106,714	59,678	47,849	959,650

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 26. — Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2000 crop.

RAYVILLE						VISALIA	
Color	Leaf	Arkansas	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
11 & 21	1-2	2.9	12.5	5.9	12.0	29.3	12.9
	3	3.0	2.8	1.6	2.7	21.4	7.5
	4	0.1	0.1	0.1	0.1	0.7	0.7
	5	-	*	-	*	*	*
	6	-	-	-	-	*	*
	7	-	-	-	-	*	*
	Total	6.0	15.4	7.6	14.8	51.5	21.2
31	1-2	1.5	12.2	8.7	11.9	5.8	6.0
	3	11.0	11.1	14.4	11.3	21.1	19.8
	4	5.1	1.2	1.3	1.3	3.2	5.0
	5	0.1	*	-	*	0.1	0.4
	6	-	*	-	*	*	*
	7	-	*	-	*	*	*
	Total	17.6	24.5	24.4	24.5	30.2	31.2
41	1-2	0.4	10.4	5.6	10.0	0.9	2.7
	3	9.7	22.8	31.4	23.3	9.9	16.2
	4	17.2	5.1	6.7	5.3	4.3	7.1
	5	4.5	0.1	0.1	0.2	0.1	1.2
	6	0.1	*	-	*	*	0.2
	7	-	*	-	*	*	*
	Total	31.9	38.4	43.8	38.8	15.2	27.2
51	1-2	1.1	0.8	0.5	0.8	*	0.2
	3	1.8	2.1	4.6	2.3	0.4	1.7
	4	0.2	0.9	1.7	1.0	0.2	0.9
	5	0.1	0.1	0.1	0.1	*	0.2
	6	-	*	*	*	*	*
	7	-	*	-	*	*	*
	Total	3.1	3.9	7.0	4.1	0.7	3.1
61	1-2	*	*	-	*	*	*
	3	0.2	*	*	*	*	*
	4	-	*	*	*	*	*
	5	-	*	*	*	*	*
	6	-	*	-	*	*	*
	7	-	*	-	*	*	*
	Total	0.3	0.1	0.1	0.1	*	0.1
71	1-2	-	*	-	*	*	*
	3	-	*	-	*	*	*
	4	-	*	-	*	*	*
	5	-	*	*	*	*	*
	6	-	-	*	*	-	*
	7	-	-	-	-	-	-
	Total	-	*	*	*	*	*
12 & 22	1-2	1.5	1.1	0.4	1.1	0.5	0.9
	3	1.1	0.6	0.5	0.6	0.4	0.7
	4	0.3	0.1	0.1	0.1	*	0.1
	5	0.1	*	-	*	*	*
	6	-	*	-	*	*	*
	7	-	-	-	-	-	*
	Total	3.0	1.8	0.9	1.7	0.9	1.8
32	1-2	0.5	1.4	0.7	1.3	0.1	0.7
	3	6.4	2.1	2.3	2.1	0.5	2.2
	4	6.4	0.5	0.4	0.5	0.1	0.8
	5	0.5	*	*	*	*	0.1
	6	*	*	-	*	*	*
	7	-	-	-	-	*	*
	Total	13.9	4.0	3.5	4.0	0.7	3.8
42	1-2	0.1	1.5	0.9	1.4	*	0.7
	3	4.2	5.1	5.9	5.1	0.2	4.5
	4	9.0	2.2	1.9	2.2	0.1	2.9
	5	3.1	0.1	0.1	0.1	*	0.5
	6	*	*	-	*	*	0.1
	7	-	-	-	-	*	*
	Total	16.4	8.8	8.8	8.9	0.3	8.6
52	1-2	-	0.3	0.3	0.3	*	0.1
	3	1.1	1.1	2.0	1.2	*	0.8
	4	0.4	0.7	0.9	0.7	*	0.6
	5	0.3	0.1	0.1	0.1	*	0.2
	6	-	*	*	*	*	*
	7	-	*	*	*	*	*
	Total	1.8	2.3	3.2	2.3	0.1	1.8

Table 26. -- Continued.

RAYVILLE					VISALIA	
Color	Leaf	Arkansas	Louisiana	Mississippi	Classing Office Total 1/	UNITED STATES
62	1-2	*	*	-	*	*
	3	0.2	*	*	*	*
	4	0.1	*	0.1	*	*
	5	-	*	*	*	*
	6	-	*	*	*	*
	7	-	*	*	*	*
Total	13 & 23	0.3	0.1	0.2	0.1	0.1
	1-2	*	*	*	*	*
	3	0.1	*	*	*	*
	4	0.1	*	-	*	*
	5	*	-	-	*	*
	6	-	-	-	-	*
	7	-	-	-	-	-
Total	33	0.2	*	*	*	0.1
	1-2	*	*	*	*	*
	3	0.8	0.1	*	0.1	0.1
	4	0.7	*	*	*	*
	5	0.2	*	-	*	*
	6	*	-	-	*	*
	7	-	-	-	-	*
Total	43	1.8	0.1	0.1	0.1	0.2
	1-2	*	0.1	*	0.1	*
	3	0.9	0.2	0.2	0.2	0.3
	4	1.4	0.1	0.1	0.1	0.2
	5	0.1	*	-	*	*
	6	-	*	-	*	*
	7	-	*	-	*	*
Total	53	2.4	0.4	0.3	0.4	0.5
	1-2	-	*	*	*	*
	3	0.5	0.1	0.1	0.1	0.1
	4	0.3	0.1	*	0.1	0.1
	5	-	*	*	*	*
	6	-	*	-	*	*
	7	-	-	-	-	*
Total	63	0.8	0.2	0.1	0.2	0.2
	1-2	-	*	-	*	*
	3	0.1	*	*	*	*
	4	*	*	*	*	*
	5	-	*	*	*	*
	6	-	*	-	*	*
	7	-	-	-	-	*
Total	24 - 54	0.1	*	*	*	*
	1-7	0.4	*	*	*	*
	25 - 35	-	-	-	-	*
	1-7	-	*	*	*	*
	81 - 85 1/	0.2	*	*	*	*
	All Colors	-	-	-	-	*
STAPLE						
28 & shorter		-	-	-	-	*
29		-	*	*	-	0.5
30		-	*	*	*	1.4
31		*	2.2	1.2	2.1	3.4
32		2.9	10.1	8.6	10.0	8.6
33		13.2	24.2	25.6	24.3	17.8
34		37.7	34.0	39.0	34.4	25.7
35		30.6	22.1	21.6	22.1	22.4
36		13.2	6.3	3.9	6.2	12.6
37		2.3	1.0	0.1	0.9	6.2
38 & longer		-	0.1	-	0.1	1.3
All Staples		100.0	100.0	100.0	100.0	1.3
Average staple		34.5	33.9	33.8	33.9	34.2
Total Classed		5,738	923,276	73,891	1,002,905	16,347,803

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 27. — Percentage distribution of mike and strength for upland cotton classed, by classing office, 2000 crop.

Mike and Fiber Strength	ABILENE				BIRMINGHAM			CORPUS CHRISTI	DUMAS		
	Kansas	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total
MIKE											
24 & below	0.5	0.2	0.1	0.1	*	-	*	*	-	-	*
25	0.5	0.1	0.2	0.2	*	*	*	*	-	*	*
26	1.3	0.2	0.3	0.4	*	*	*	*	*	*	*
27	2.3	0.3	0.6	0.6	*	*	*	0.1	*	*	*
28	2.8	0.5	0.8	0.8	0.1	*	0.1	0.2	*	*	*
29	3.9	0.6	1.0	1.1	0.1	*	0.1	0.3	*	*	*
30	4.1	0.8	1.4	1.3	0.3	*	0.3	0.6	*	*	*
31	6.0	1.0	1.7	1.7	0.4	*	0.3	1.1	*	*	*
32	5.1	1.1	1.8	1.8	0.8	0.1	0.7	1.8	0.1	0.1	0.1
33	6.9	1.4	2.2	2.2	1.5	0.1	1.3	2.8	0.1	0.2	0.2
34	6.9	1.8	2.7	2.6	1.8	0.2	1.6	3.8	0.2	0.3	0.3
35	7.0	2.1	3.2	3.1	3.1	0.3	2.7	4.8	0.3	0.7	0.6
36	7.1	2.4	4.1	3.8	3.3	0.2	2.9	5.8	0.4	1.0	0.8
37	7.2	3.0	4.8	4.4	4.2	0.3	3.8	6.4	0.6	1.6	1.3
38	6.8	3.7	5.6	5.1	5.3	0.6	4.7	6.9	0.9	2.3	1.9
39	6.3	4.4	6.3	5.8	4.9	0.9	4.4	7.2	1.3	3.2	2.7
40	5.2	5.3	7.2	6.6	5.8	1.4	5.3	7.1	2.0	4.2	3.6
41	5.6	6.3	8.0	7.4	6.1	2.2	5.6	7.1	2.9	5.4	4.7
42	4.5	6.9	8.1	7.6	6.3	3.0	5.9	6.9	4.2	6.6	6.0
43	3.3	7.3	7.9	7.5	7.4	4.2	7.0	6.4	5.8	7.7	7.2
44	2.2	7.7	7.2	7.1	7.3	4.7	6.9	6.0	7.6	8.8	8.4
45	1.6	7.8	6.6	6.7	7.1	5.7	6.9	5.3	9.6	9.2	9.3
46	1.3	7.6	5.6	6.0	7.3	7.4	7.4	4.8	11.9	9.4	10.1
47	0.7	6.9	4.5	5.0	6.6	9.0	6.9	4.0	13.1	9.3	10.4
48	0.5	6.3	3.3	4.0	6.4	12.5	7.1	3.2	13.2	8.6	9.9
49	0.2	5.6	2.2	3.1	5.0	12.9	6.0	2.6	10.9	7.3	8.3
50	0.2	4.3	1.3	2.1	3.6	11.7	4.6	1.8	7.4	5.6	6.1
51	-	2.5	0.8	1.2	2.6	10.8	3.7	1.2	4.4	3.9	4.1
52	*	1.1	0.4	0.6	1.5	7.1	2.2	0.8	2.1	2.4	2.3
53	*	0.4	0.1	0.2	0.7	3.3	1.0	0.4	0.6	1.2	1.1
54	-	0.2	*	0.1	0.4	1.2	0.5	0.2	0.1	0.5	0.4
55	-	*	*	*	0.1	0.1	0.1	0.1	*	0.2	0.2
56	-	*	*	*	*	*	*	*	*	*	*
57	-	*	-	*	*	*	*	*	*	*	*
58	-	-	-	-	*	*	*	*	*	*	*
59	-	*	-	*	*	*	*	-	-	-	-
60 & above	-	-	-	-	*	*	*	-	-	-	-
Average mike	36	43	41	41	43	48	44	41	46	45	45
Fiber Strength 1/											
17 & below	*	*	*	*	*	-	*	*	-	-	-
18	0.2	0.1	*	0.1	*	-	*	*	-	-	-
19	0.7	0.3	0.1	0.2	*	-	*	*	-	*	*
20	1.5	0.6	0.3	0.4	*	-	*	*	*	*	*
21	3.8	1.1	1.1	1.2	*	-	*	0.1	*	*	*
22	7.5	1.9	2.9	2.8	0.1	*	0.1	0.3	0.1	0.2	0.2
23	11.7	3.2	6.0	5.5	0.4	0.1	0.3	1.4	0.5	1.0	0.8
24	14.4	5.4	9.2	8.4	2.4	0.9	2.2	6.3	2.1	3.5	3.1
25	18.2	8.2	12.7	11.7	11.7	6.3	11.0	16.7	8.2	11.7	10.7
26	16.0	10.8	14.6	13.6	25.1	18.1	24.2	22.6	20.1	26.4	24.6
27	12.7	12.2	14.9	14.0	26.7	28.0	26.9	17.1	28.2	29.7	29.3
28	7.9	12.3	13.1	12.7	18.9	25.7	19.7	10.1	23.3	17.5	19.1
29	3.8	11.0	10.1	10.0	9.6	14.0	10.2	6.8	11.6	7.0	8.3
30	1.2	9.3	6.9	7.3	3.7	5.2	3.9	6.4	4.3	2.1	2.7
31	0.3	7.8	4.5	5.2	1.1	1.5	1.1	5.8	1.2	0.6	0.8
32	0.1	6.5	2.3	3.4	0.2	0.3	0.2	3.7	0.4	0.2	0.2
33	*	4.9	1.0	2.0	*	*	*	1.8	0.1	0.1	0.1
34	*	3.1	0.3	1.1	*	*	*	0.5	*	*	*
35	*	1.2	0.1	0.4	*	*	*	0.1	*	*	*
36 & above	*	0.2	*	0.1	*	-	*	*	*	*	*
Total	25.0	28.1	26.8	27.1	27.0	27.4	27.0	27.2	27.2	26.8	26.9

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 28. - Percentage distribution of mike and strength for upland cotton classed, by classing office, 2000 crop.

	FLORENCE				LAMESA		LUBBOCK		MACON	
Mike and Fiber Strength	North Carolina	South Carolina	Virginia	Classing Office Total	Texas	Texas	Florida	Georgia	Classing Office Total	
MIKE										
24 & below	0.1	*	*	*	0.1	0.2	-	*	*	
25	*	*	0.1	*	0.1	0.3	-	*	*	
26	0.1	*	0.1	0.1	0.3	0.5	-	*	*	
27	0.1	0.1	0.4	0.1	0.5	0.7	-	*	*	
28	0.2	0.1	0.7	0.2	0.7	1.1	-	*	*	
29	0.3	0.2	0.9	0.3	0.8	1.4	-	*	*	
30	0.5	0.3	1.5	0.5	1.3	1.9	-	*	*	
31	0.8	0.3	2.2	0.8	1.7	2.4	-	*	*	
32	1.2	0.4	3.3	1.2	2.6	2.9	*	0.1	0.1	
33	1.8	0.6	4.6	1.8	3.6	3.7	0.1	0.1	0.1	
34	2.7	0.9	5.9	2.6	4.5	4.5	0.3	0.2	0.2	
35	3.9	1.4	7.6	3.7	5.5	5.4	0.6	0.4	0.4	
36	5.4	2.0	9.1	5.0	6.6	6.3	0.8	0.6	0.6	
37	7.0	2.8	9.9	6.5	7.5	7.2	1.0	0.9	0.9	
38	8.6	3.9	10.4	7.9	8.2	8.0	1.6	1.4	1.5	
39	10.1	5.3	10.1	9.2	8.9	8.5	2.6	2.2	2.2	
40	10.9	6.6	8.9	9.9	9.0	8.5	4.1	3.3	3.3	
41	10.9	7.9	7.4	10.0	8.4	8.0	6.2	4.4	4.4	
42	10.2	9.1	5.7	9.7	7.2	7.0	7.9	5.9	5.9	
43	8.6	9.9	4.5	8.5	5.9	5.9	8.9	7.6	7.6	
44	6.5	10.2	3.1	6.9	4.8	4.7	9.6	9.5	9.5	
45	4.4	9.8	1.8	5.2	3.5	3.6	9.7	11.1	11.1	
46	2.8	8.6	1.0	3.8	2.7	2.6	9.5	12.0	12.0	
47	1.6	7.2	0.5	2.6	2.0	1.9	10.0	12.1	12.0	
48	0.8	5.4	0.2	1.6	1.4	1.2	10.0	10.6	10.6	
49	0.4	3.3	0.1	0.9	0.8	0.8	7.5	7.9	7.9	
50	0.1	1.9	*	0.4	0.4	0.4	4.7	4.9	4.9	
51	0.1	1.0	*	0.2	0.3	0.2	3.0	2.7	2.7	
52	*	0.4	*	0.1	0.2	0.1	1.3	1.2	1.2	
53	*	0.1	*	*	0.2	0.1	0.3	0.4	0.4	
54	*	*	-	*	0.1	*	0.1	0.2	0.2	
55	*	*	-	*	0.1	*	*	*	*	
56	*	*	*	*	*	*	*	*	*	
57	-	*	-	*	0.1	*	-	*	*	
58	*	-	-	*	*	*	-	*	*	
59	*	*	-	*	*	*	-	-	-	
60 & above	-	-	-	-	-	-	-	-	-	
Average mike	40	43	38	40	39	39	45	45	45	
Fiber Strength 1/ 17 & below										
18	-	-	-	-	*	*	-	*	*	
19	-	-	-	-	*	*	-	*	*	
20	*	*	*	*	0.2	0.1	*	*	*	
21	0.2	0.1	0.1	0.2	0.4	0.3	-	*	*	
22	1.0	0.3	0.9	0.9	1.3	1.0	*	0.2	0.2	
23	4.7	1.5	4.0	4.1	3.4	2.5	0.6	1.8	1.8	
24	12.7	5.3	11.3	11.2	7.1	5.5	3.1	5.7	5.6	
25	21.1	13.1	20.7	19.6	12.6	10.4	8.0	10.7	10.6	
26	23.0	21.5	24.7	22.8	17.5	16.7	14.0	15.3	15.2	
27	17.2	22.9	19.7	18.5	19.4	21.5	18.9	18.0	18.1	
28	10.0	17.4	10.3	11.4	17.1	20.3	19.3	17.9	17.9	
29	5.5	10.1	4.7	6.3	11.6	13.3	15.6	14.3	14.3	
30	2.8	4.9	2.1	3.1	5.7	5.9	10.2	9.0	9.0	
31	1.2	1.9	0.9	1.3	2.4	1.9	6.0	4.5	4.5	
32	0.4	0.7	0.3	0.4	0.9	0.5	2.8	1.8	1.8	
33	0.1	0.2	0.1	0.1	0.3	0.1	1.1	0.6	0.6	
34	*	0.1	*	*	0.1	*	0.4	0.2	0.2	
35	*	*	*	*	*	*	*	*	*	
36 & above	*	*	*	*	*	*	-	*	*	
Total	26.1	26.9	26.1	26.3	26.9	27.0	27.9	27.4	27.4	

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 29. — Percentage distribution of mike and strength for upland cotton classed, by classing office, 2000 crop.

Mike and Fiber Strength	MEMPHIS					PHOENIX				
	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
MIKE										
24 & below	-	*	-	-	*	*	0.1	0.1	0.1	*
25	-	*	*	*	*	*	*	0.1	*	*
26	*	*	*	*	*	*	0.1	0.2	*	*
27	*	-	*	*	*	*	0.2	0.2	0.1	0.1
28	*	*	0.2	*	*	0.1	0.2	0.6	*	0.1
29	*	*	0.2	0.1	*	0.1	0.2	0.7	0.1	0.1
30	*	*	0.9	0.2	0.1	0.1	0.3	1.0	0.1	0.2
31	0.1	0.1	1.2	0.3	0.2	0.1	0.5	1.1	0.2	0.2
32	0.1	0.1	1.7	0.5	0.3	0.2	0.5	1.4	0.3	0.3
33	0.2	0.2	2.4	1.0	0.6	0.3	0.6	2.3	0.4	0.4
34	0.3	0.3	3.2	1.5	0.9	0.3	0.7	2.4	0.5	0.5
35	0.7	0.8	4.2	2.6	1.5	0.4	0.7	3.9	0.6	0.7
36	1.1	1.4	4.9	3.6	2.2	0.6	0.7	5.0	0.8	0.9
37	1.7	2.1	5.8	4.8	3.0	0.7	0.7	5.8	1.6	1.1
38	2.5	3.1	7.0	6.3	4.1	1.0	0.9	6.8	1.7	1.4
39	3.6	4.6	7.7	7.5	5.3	1.4	0.9	7.8	1.7	1.7
40	5.1	6.4	8.0	8.7	6.7	1.8	1.2	8.4	2.3	2.2
41	6.6	8.2	8.0	9.6	8.0	2.5	1.4	8.0	3.3	2.7
42	7.8	9.6	8.1	9.5	8.8	3.3	2.0	8.6	5.1	3.6
43	9.2	10.6	8.0	9.3	9.5	4.4	4.0	7.8	6.7	4.7
44	10.2	10.7	7.4	8.5	9.6	5.5	6.2	6.4	7.7	5.7
45	10.4	10.4	6.3	7.2	9.1	6.5	8.7	5.5	8.5	6.8
46	10.3	9.2	4.9	5.9	8.3	7.7	10.9	4.3	9.7	7.9
47	9.1	7.4	3.4	4.5	6.9	8.7	11.4	3.4	10.7	8.7
48	7.4	5.8	2.4	3.3	5.4	9.6	11.5	2.9	10.1	9.4
49	5.4	3.9	1.7	2.3	3.8	9.9	10.0	2.3	11.0	9.5
50	3.7	2.5	1.1	1.4	2.5	9.3	9.2	1.6	7.8	8.8
51	2.5	1.5	0.6	0.9	1.6	8.5	7.2	1.0	5.3	7.7
52	1.3	0.8	0.4	0.5	0.9	7.0	4.4	0.4	2.1	6.1
53	0.4	0.2	0.2	0.2	0.3	5.0	3.2	0.1	1.0	4.3
54	0.2	0.1	0.1	0.1	0.1	3.0	1.0	0.1	0.4	2.5
55	0.1	*	*	*	*	1.3	0.3	*	0.1	1.0
56	*	*	*	*	*	0.6	0.1	*	*	0.4
57	-	-	-	-	-	0.2	*	*	*	0.1
58	-	-	-	-	-	*	*	*	*	*
59	-	-	-	-	-	*	-	-	-	*
60 & above	-	-	-	-	-	*	*	-	-	*
Average mike	44	44	41	42	43	47	47	41	46	47
Fiber Strength 1/										
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	*	-	-	-	*
19	-	-	-	-	-	*	*	-	-	*
20	-	-	-	-	-	*	*	-	*	*
21	-	-	*	*	*	0.1	*	*	*	0.1
22	*	*	0.2	*	*	0.3	0.1	0.1	0.1	0.2
23	0.2	0.1	1.2	0.3	0.3	1.0	0.3	0.4	0.1	0.8
24	1.2	1.1	6.4	2.2	1.8	3.3	1.1	1.4	0.5	2.8
25	5.6	6.2	16.6	8.5	7.3	8.0	3.9	2.5	1.6	6.9
26	17.7	19.6	24.1	20.8	19.5	13.3	8.6	4.2	6.5	11.9
27	33.5	32.4	23.2	31.2	31.9	17.6	11.9	7.9	13.0	16.1
28	27.4	25.7	15.5	23.7	25.1	19.6	18.4	12.1	18.5	19.0
29	10.4	10.6	7.6	9.7	10.1	17.3	23.6	14.3	25.0	18.2
30	2.9	3.2	3.4	2.8	3.0	11.1	18.9	16.1	21.7	12.8
31	0.8	0.8	1.2	0.7	0.8	5.4	8.9	16.7	9.7	6.7
32	0.2	0.2	0.4	0.2	0.2	2.1	3.0	13.3	2.2	2.9
33	0.1	0.1	0.2	*	0.1	0.7	1.1	7.2	0.8	1.2
34	*	*	0.1	*	*	0.2	0.2	2.9	0.2	0.4
35	*	*	*	*	*	0.1	*	0.7	*	0.1
36 & above	-	-	-	-	-	*	*	0.1	*	*
Total	27.3	27.3	26.7	27.1	27.2	27.8	28.6	29.8	28.8	28.1

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 30. — Percentage distribution of mike and strength for upland cotton classed, by classing office, 2000 crop.

Mike and Fiber Strength	RAYVILLE				VISALIA	
	Arkansas	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
MIKE						
24 & below	-	-	-	-	*	*
25	-	-	-	-	*	*
26	-	-	-	-	*	0.1
27	-	-	-	-	*	0.2
28	-	*	-	*	*	0.2
29	-	*	-	*	0.1	0.3
30	-	*	-	*	0.1	0.5
31	-	*	-	*	0.1	0.6
32	0.1	*	*	*	0.2	0.9
33	0.4	0.1	*	0.1	0.2	1.2
34	0.8	0.1	*	0.1	0.3	1.6
35	1.5	0.3	0.1	0.3	0.4	2.2
36	2.0	0.5	0.2	0.4	0.7	2.7
37	3.2	0.6	0.3	0.6	1.2	3.4
38	4.2	1.0	0.6	1.0	2.1	4.2
39	7.4	1.2	0.8	1.3	3.7	5.0
40	5.8	2.0	1.3	2.0	6.0	5.9
41	10.2	2.9	2.1	2.9	8.5	6.7
42	9.8	3.9	3.7	3.9	11.6	7.5
43	14.6	5.7	6.0	5.8	13.7	8.0
44	11.7	7.1	8.2	7.2	13.2	8.1
45	10.2	8.4	10.3	8.6	10.5	7.7
46	7.1	10.2	11.9	10.3	7.8	7.2
47	4.0	11.3	12.2	11.4	5.7	6.6
48	3.1	12.6	12.6	12.5	4.3	5.9
49	2.6	11.1	11.0	11.1	3.2	4.7
50	0.9	8.5	8.1	8.4	2.3	3.4
51	0.2	6.1	5.4	6.0	1.6	2.3
52	0.1	3.7	2.9	3.6	1.1	1.4
53	-	1.9	1.4	1.9	0.6	0.8
54	*	0.5	0.7	0.5	0.4	0.4
55	-	*	0.2	0.1	0.2	0.1
56	-	-	-	-	0.1	*
57	-	-	-	-	*	*
58	-	-	-	-	*	*
59	-	-	-	-	*	*
60 & above	-	-	-	-	-	*
Average mike	43	47	47	47	44	43
Fiber Strength 1/						
17 & below	-	-	-	-	-	*
18	-	-	-	-	-	*
19	-	-	-	-	-	*
20	-	-	-	-	*	*
21	-	-	-	-	*	0.1
22	-	*	*	*	*	0.4
23	-	0.5	0.4	0.5	*	1.5
24	0.8	3.2	2.8	3.2	0.2	4.5
25	3.9	10.7	11.2	10.7	0.8	10.3
26	13.1	22.8	25.3	23.0	2.0	17.5
27	28.2	28.5	30.8	28.6	3.5	20.6
28	30.8	20.1	20.2	20.1	4.0	16.4
29	16.6	9.1	7.1	9.0	4.6	9.8
30	5.6	3.2	1.7	3.1	7.5	5.5
31	0.8	1.1	0.3	1.1	14.4	3.9
32	0.1	0.4	0.1	0.4	21.2	3.6
33	-	0.2	*	0.2	20.6	3.0
34	-	0.1	*	*	12.7	1.7
35	-	*	-	*	5.5	0.7
36 & above	-	*	-	*	3.0	0.4
Total	27.6	27.0	26.8	27.0	31.8	27.6

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 31. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2000 crop

Mike Groupings, Uniformity and Trash	ABILENE				BIRMINGHAM			CORPUS CHRISTI	DUMAS		
	Kansas	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total
MIKE											
24 & below	0.5	0.2	0.1	0.1	*	-	*	*	-	-	-
25 - 26	1.8	0.2	0.3	0.4	*	*	*	*	-	*	*
27 - 29	9.1	1.4	2.4	2.5	0.2	*	0.2	0.5	*	*	*
30 - 32	15.2	2.9	4.9	4.8	1.5	*	1.3	3.5	*	*	*
33 - 34	13.8	3.2	4.9	4.9	3.2	0.3	2.9	6.6	0.3	0.5	0.5
35 - 36	14.2	4.5	7.4	6.9	6.4	0.5	5.6	10.6	0.7	1.7	1.4
37 - 42	35.4	29.6	40.0	36.9	32.7	8.4	29.7	41.7	12.1	23.3	20.2
43 - 49	9.8	49.3	37.3	39.3	47.0	56.4	48.2	32.2	72.1	60.4	63.6
50 - 52	0.2	7.9	2.4	3.8	7.7	29.6	10.4	3.9	13.8	11.9	12.4
53 & above	*	0.6	0.1	0.3	1.1	4.5	1.5	0.7	0.8	2.0	1.7
Average mike	36	43	41	41	43	48	44	41	46	45	45
Mike 35 - 49	59.4	83.4	84.7	83.1	86.1	65.3	83.5	84.5	84.9	85.3	85.2
Uniformity 1/											
72 & below	-	-	-	-	-	-	-	-	*	-	*
73	*	*	*	*	-	-	-	-	-	-	-
74	0.1	*	*	*	-	-	-	-	-	*	*
75	0.4	0.2	0.1	0.1	*	-	*	*	-	*	*
76	2.3	1.0	0.5	0.7	*	*	*	*	*	*	*
77	10.5	3.0	2.4	3.0	0.2	0.1	0.2	0.1	*	*	*
78	27.0	6.6	8.6	9.0	1.4	0.6	1.3	0.6	0.2	0.2	0.2
79	31.7	12.0	20.1	18.4	6.9	3.4	6.5	4.6	2.1	3.0	2.7
80	19.0	20.2	29.0	26.1	21.6	15.7	20.8	18.5	12.1	16.4	15.2
81	7.6	26.9	24.0	24.0	35.5	33.6	35.2	37.4	32.1	39.6	37.5
82	1.3	21.1	11.6	13.7	25.9	32.0	26.6	28.7	35.6	31.0	32.3
83	0.1	7.7	3.3	4.3	7.8	12.9	8.4	9.0	15.5	8.8	10.6
84	*	1.2	0.5	0.6	0.8	1.8	0.9	1.1	2.4	1.0	1.4
85	-	0.1	*	*	*	*	*	*	0.1	*	*
86	-	-	-	-	*	-	*	-	-	-	-
87	-	-	-	-	*	-	*	-	-	-	-
88	-	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-	-	-
Average uniformity	78.8	80.6	80.1	80.2	81.0	81.4	81.1	81.2	81.6	81.3	81.4
Trash 2/											
00	-	0.1	*	*	0.1	*	0.1	0.1	*	*	*
01	1.2	32.6	23.0	24.6	9.1	5.3	8.7	17.3	2.7	6.0	5.1
02	7.2	26.4	29.8	27.8	22.8	21.0	22.6	34.6	21.0	25.0	23.9
03	11.0	13.5	15.8	14.9	25.1	27.1	25.3	24.5	30.6	29.0	29.5
04	11.8	9.0	9.4	9.4	18.9	20.9	19.2	13.0	22.3	19.9	20.5
05	13.2	6.5	6.4	6.8	11.5	12.6	11.6	6.0	12.1	10.7	11.1
06	13.3	4.3	4.5	4.9	6.2	6.6	6.2	2.5	5.8	4.9	5.2
07	11.8	2.8	3.3	3.6	3.3	3.3	3.3	1.1	2.7	2.3	2.4
08	9.3	1.7	2.3	2.5	1.6	1.7	1.6	0.5	1.4	1.1	1.1
09	6.8	1.1	1.6	1.7	0.7	0.8	0.7	0.2	0.7	0.5	0.6
10	4.9	0.7	1.1	1.2	0.3	0.3	0.3	0.1	0.3	0.3	0.3
11	3.3	0.4	0.8	0.8	0.2	0.2	0.2	0.1	0.2	0.1	0.2
12	2.2	0.3	0.6	0.6	0.1	0.1	0.1	*	0.1	0.1	0.1
13	1.5	0.2	0.4	0.4	0.1	0.1	0.1	*	*	*	*
14	0.9	0.1	0.3	0.3	*	*	*	*	*	*	*
15	0.6	0.1	0.2	0.2	*	*	*	*	*	*	*
16	0.3	0.1	0.1	0.1	*	*	*	*	*	*	*
17	0.2	*	0.1	0.1	*	-	*	*	*	*	*
18 & above	0.6	0.1	0.2	0.2	*	*	*	*	*	*	*
Average trash	0.63	0.29	0.33	0.33	0.35	0.37	0.35	0.27	0.36	0.34	0.35

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 32. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2000 crop

	FLORENCE				LAMESA	LUBBOCK	MACON		
Mike Groupings, Uniformity and Trash	North Carolina	South Carolina	Virginia	Classing Office Total	Texas	Texas	Florida	Georgia	Classing Office Total
24 & below	0.1	*	*	*	0.1	0.2	-	*	*
25 - 26	0.1	*	0.1	0.1	0.4	0.7	-	*	*
27 - 29	0.6	0.3	1.6	0.7	2.1	3.2	-	*	*
30 - 32	2.4	1.1	7.1	2.5	5.6	7.2	-	*	0.1
33 - 34	4.5	1.5	10.5	4.4	8.1	8.1	0.3	0.3	0.3
35 - 36	9.3	3.4	16.7	8.8	12.0	11.6	1.4	0.9	0.9
37 - 42	57.7	35.6	52.4	53.1	49.2	47.3	23.4	18.2	18.2
43 - 49	25.1	54.5	11.1	29.6	21.0	20.8	65.2	70.8	70.8
50 - 52	0.2	3.3	*	0.8	0.9	0.8	9.0	8.9	8.9
53 & above	*	0.1	*	*	0.2	0.1	0.4	0.6	0.6
Average mike	40	43	38	40	39	39	45	45	45
Mike 35 - 49	92.1	93.5	80.2	91.5	82.2	79.6	90.1	89.9	89.9
Uniformity 1/									
72 & below	-	-	-	-	-	*	-	*	*
73	-	-	-	-	*	*	-	-	-
74	-	-	-	-	0.1	*	-	*	*
75	-	-	-	-	0.8	0.1	-	*	*
76	*	*	-	*	3.4	0.8	-	*	*
77	*	*	*	*	10.0	3.2	*	*	*
78	0.9	1.0	0.6	0.9	19.5	10.0	0.2	0.8	0.8
79	6.3	6.6	4.6	6.3	26.6	21.7	1.8	5.9	5.9
80	21.9	22.9	17.7	21.8	23.4	29.3	11.0	20.6	20.5
81	37.0	33.9	34.3	36.2	12.5	23.4	29.7	35.9	35.8
82	26.2	24.7	30.3	26.3	3.3	9.7	34.8	27.0	27.0
83	6.9	9.2	10.9	7.6	0.4	1.7	18.7	8.6	8.8
84	0.7	1.6	1.4	0.9	*	0.1	3.6	1.1	1.1
85	*	0.1	0.1	*	*	*	*	*	*
86	-	-	-	-	-	*	-	-	-
87	-	-	-	-	-	*	-	-	-
88	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	81.1	81.1	81.3	81.1	80.1	79.9	81.7	81.1	81.1
Trash 2/									
00	-	-	-	-	*	*	-	*	*
01	0.3	1.9	0.1	0.6	15.6	5.7	0.4	0.9	0.9
02	6.0	15.5	2.9	7.6	17.1	14.1	8.2	12.5	12.4
03	18.5	27.4	12.9	19.8	17.7	17.8	23.9	26.4	26.4
04	23.9	24.6	21.4	23.9	16.5	18.2	29.0	25.5	25.5
05	20.1	15.2	22.2	19.4	12.7	15.2	21.0	16.9	17.0
06	13.1	7.7	16.4	12.4	8.5	10.7	9.9	9.0	9.0
07	7.6	3.7	10.4	7.1	5.2	7.0	4.4	4.4	4.4
08	4.2	1.8	5.9	3.9	3.0	4.3	1.7	2.2	2.2
09	2.4	1.0	3.3	2.2	1.6	2.7	0.8	1.1	1.1
10	1.4	0.5	1.9	1.2	0.9	1.6	0.4	0.5	0.5
11	0.8	0.3	1.2	0.7	0.5	1.0	0.2	0.3	0.3
12	0.5	0.2	0.7	0.5	0.3	0.6	0.1	0.2	0.2
13	0.3	0.1	0.3	0.3	0.2	0.4	*	*	*
14	0.2	0.1	0.2	0.2	0.1	0.2	*	*	*
15	0.1	*	0.1	0.1	0.1	0.2	*	*	*
16	0.1	*	0.1	0.1	*	0.1	*	*	*
17	0.1	*	*	0.1	*	0.1	-	*	*
18 & above	0.2	*	0.1	0.1	*	0.1	-	*	*
Average trash	0.50	0.40	0.54	0.39	0.38	0.46	0.43	0.42	0.42

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 33. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2000 crop

Mike Groupings, Uniformity and Trash	MEMPHIS					PHOENIX				
	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
24 & below	-	*	-	-	*	*	0.1	0.1	0.1	*
25 - 26	*	*	*	*	*	*	0.1	0.2	*	*
27 - 29	*	*	0.4	0.1	*	0.1	0.7	1.5	0.1	0.3
30 - 32	0.2	0.2	3.8	0.8	0.7	0.4	1.2	3.5	0.5	0.7
33 - 34	0.6	0.5	5.6	2.5	1.5	0.5	1.3	4.7	0.9	0.9
35 - 36	1.8	2.2	9.1	6.1	3.7	1.0	1.4	8.9	1.5	1.6
37 - 42	27.2	33.9	44.5	46.3	36.0	10.7	7.1	45.3	15.8	12.7
43 - 49	62.0	58.0	34.1	40.9	52.6	52.2	62.7	32.6	64.4	52.7
50 - 52	7.4	4.8	2.1	2.8	5.0	24.9	20.9	3.0	15.1	22.6
53 & above	0.7	0.3	0.3	0.2	0.4	10.0	4.5	0.2	1.4	8.4
Average mike	44	44	41	42	43	47	47	41	46	47
Mike 35 - 49	91.0	94.2	87.8	93.4	92.3	63.9	71.2	86.8	81.7	67.0
Uniformity 1/ 72 & below	-	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	*	*	*	*	*
76	*	*	*	*	*	*	*	*	*	*
77	*	*	0.1	0.1	*	0.3	0.1	0.2	0.5	0.3
78	0.2	0.1	1.9	1.6	0.7	1.9	1.1	1.5	2.6	1.8
79	1.6	1.2	10.0	7.5	3.9	7.9	5.9	5.0	9.0	7.6
80	10.4	8.2	26.6	23.0	14.9	23.3	25.9	14.8	30.0	23.4
81	33.9	32.5	35.0	38.4	35.1	37.1	47.7	27.7	46.2	38.2
82	38.3	41.0	20.8	23.7	33.2	22.9	18.0	29.2	10.4	22.1
83	13.8	14.9	5.0	5.4	10.8	5.8	1.2	17.3	1.1	5.8
84	1.8	2.0	0.5	0.4	1.3	0.7	*	3.9	0.1	0.8
85	0.1	0.1	*	*	0.1	*	*	0.4	*	*
86	-	-	-	-	-	*	-	*	-	*
87	-	-	-	-	-	-	-	-	-	-
88	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-	-
Average uniformity	81.6	81.7	80.8	80.9	81.3	80.9	80.8	81.5	80.6	80.9
Trash 2/ 00	*	*	*	*	*	0.1	*	0.1	*	0.1
01	2.1	2.5	2.3	3.8	2.8	25.0	45.8	19.5	27.6	27.1
02	19.0	19.7	15.5	21.8	19.9	34.1	35.9	27.3	43.2	34.3
03	31.0	32.3	25.9	30.2	30.8	20.7	10.2	16.9	20.3	19.3
04	23.9	24.6	23.2	22.3	23.5	9.5	3.7	10.3	6.4	8.8
05	13.1	12.6	15.8	12.1	12.8	4.1	2.0	7.3	1.6	4.0
06	6.1	5.1	8.8	5.5	5.8	2.1	1.1	5.4	0.5	2.1
07	2.7	1.9	4.4	2.3	2.5	1.2	0.6	4.1	0.2	1.3
08	1.1	0.7	2.1	1.0	1.0	0.8	0.3	3.1	0.1	0.8
09	0.5	0.3	1.0	0.5	0.5	0.6	0.2	2.2	0.1	0.6
10	0.2	0.1	0.5	0.2	0.2	0.4	0.1	1.5	*	0.4
11	0.1	0.1	0.3	0.1	0.1	0.3	0.1	1.0	*	0.3
12	0.1	*	0.2	0.1	0.1	0.3	*	0.6	*	0.2
13	*	*	0.1	*	*	0.2	*	0.2	*	0.2
14	*	*	*	*	*	0.1	*	0.2	*	0.1
15	*	*	*	*	*	0.1	*	0.1	*	0.1
16	*	*	*	*	*	0.1	*	0.1	-	0.1
17	*	*	*	*	*	0.1	*	*	-	0.1
18 & above	*	*	*	*	*	0.2	*	0.1	-	0.2
Average trash	0.37	0.36	0.40	0.35	0.36	0.27	0.19	0.35	0.21	0.26

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 34. - Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2000 crop

RAYVILLE

VISALIA

Mike Groupings, Uniformity and Trash	Arkansas	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
24 & below	-	-	-	-	*	*
25 - 26	-	-	-	-	*	0.1
27 - 29	-	*	-	*	0.1	0.7
30 - 32	0.1	*	*	*	0.3	2.0
33 - 34	1.3	0.2	*	0.2	0.5	2.8
35 - 36	3.5	0.8	0.3	0.8	1.1	4.9
37 - 42	40.6	11.8	8.8	11.7	33.2	32.7
43 - 49	53.4	66.5	72.2	66.8	58.3	48.2
50 - 52	1.2	18.2	16.4	18.0	5.0	7.1
53 & above	-	2.4	2.3	2.4	0.6	1.3
Average mike	43	47	47	47	44	43
Mike 35 - 49	97.5	79.1	81.3	79.3	92.6	85.8
Uniformity 1/ 72 & below	-	-	-	-	-	*
73	-	-	-	-	-	*
74	-	*	-	*	-	*
75	-	*	-	*	*	*
76	-	*	-	*	*	0.1
77	-	0.1	0.1	0.1	*	0.6
78	0.2	0.9	0.6	0.9	0.2	2.3
79	1.1	6.0	3.9	5.9	1.0	7.3
80	17.0	23.1	18.0	22.7	5.2	18.9
81	41.7	38.6	39.0	38.6	19.3	32.1
82	34.2	24.4	30.3	24.9	41.6	27.0
83	5.3	6.2	7.5	6.3	26.4	9.9
84	0.4	0.7	0.6	0.7	5.6	1.5
85	*	*	*	*	0.6	0.1
86	-	*	-	*	0.1	*
87	-	-	-	-	*	*
88	-	-	-	-	*	*
89	-	-	-	-	-	-
90 & above	-	-	-	-	-	-
Average uniformity	81.3	81.0	81.2	81.0	82.1	81.1
Trash 2/ 00	-	0.9	0.4	0.8	*	0.1
01	1.4	15.2	7.6	14.5	19.6	9.4
02	8.5	25.8	20.5	25.3	38.1	22.2
03	14.9	23.1	25.5	23.2	24.1	23.9
04	17.4	15.6	21.0	16.0	11.4	18.4
05	16.4	9.0	12.8	9.4	4.4	11.6
06	13.6	4.9	6.5	5.0	1.6	6.5
07	10.2	2.5	2.9	2.6	0.6	3.5
08	6.8	1.4	1.4	1.4	0.1	1.9
09	4.3	0.8	0.7	0.8	0.1	1.1
10	3.0	0.4	0.4	0.4	*	0.6
11	1.9	0.3	0.2	0.3	*	0.4
12	1.4	0.2	0.1	0.2	*	0.2
13	0.1	*	*	*	*	0.1
14	*	*	*	*	*	0.1
15	-	*	*	*	*	*
16	-	*	*	*	*	*
17	-	*	*	*	*	*
18 & above	*	*	*	*	*	*
Average trash	0.53	0.32	0.36	0.32	0.25	3.6

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 35. — Percentage distribution of grade, staple and mike for American Pima cotton classed, by states and United States, 2000 crop.

Grade, Staple and Mike	State								United States	
	Arizona		California		New Mexico		Texas			
Grade	Bales	Pct.	Bales	Pct.	Bales	Pct.	Bales	Pct.	Bales	Pct.
01	1,090	15.0	48,655	14.6	34	0.8	697	2.3	50,476	13.5
02	3,773	52.0	234,635	70.6	2,365	53.3	13,226	43.9	253,999	67.9
03	2,061	28.4	41,315	12.4	1,775	40.0	13,748	45.6	58,918	15.7
04	292	4.0	6,656	2.0	250	5.6	2,212	7.3	9,426	2.5
05	27	0.4	909	0.3	17	0.4	207	0.7	1,160	0.3
06	12	0.2	45	*	0	-	29	0.1	86	*
07	7	0.1	101	*	0	-	0	-	109	*
Staple										
40 and shorter	0	-	0	-	0	-	0	-	11	*
42	3	*	132	*	6	0.1	243	0.8	409	0.1
44	2,640	36.4	56,344	17.0	1,024	23.1	11,721	38.9	71,729	19.2
46	3,840	52.9	232,408	69.9	2,418	54.4	16,983	56.4	255,649	68.3
48 & longer	779	10.7	43,432	13.1	993	22.4	1,169	3.9	46,376	12.4
Average staple	45.5		45.9		46.0		44.7		45.6	
Mike groups										
24 & below	0	-	0	-	0	-	0	-	0	-
25 - 26	0	-	137	*	0	-	0	-	137	*
27 - 29	20	0.3	2,382	0.7	5	0.1	76	0.3	2,483	0.7
30 - 32	116	1.6	9,136	2.7	44	1.0	427	1.4	9,723	2.6
33 - 34	217	3.0	7,647	2.3	117	2.6	779	2.6	8,784	2.3
35 - 36	620	8.5	11,214	3.4	429	9.7	1,963	6.5	14,236	3.8
37 - 42	5,194	71.5	216,141	65.0	2,726	61.4	16,598	55.1	240,661	64.3
43 - 49	1,095	15.1	85,603	25.8	1,120	25.2	10,276	34.1	98,094	26.2
50 - 52	0	-	56	*	0	-	0	-	56	*
53 & above	0	-	0	-	0	-	0	-	0	-
Average mike	40		41		40		42		41	
Mike readings										
24 & below	0	-	0	-	0	-	0	-	0	-
25	0	-	31	*	0	-	0	-	31	*
26	0	-	106	*	0	-	2	*	108	*
27	0	-	283	0.1	2	*	14	*	299	0.1
28	2	*	645	0.2	2	*	68	0.1	717	0.2
29	11	0.2	1,454	0.4	1	*	135	0.3	1,601	0.4
30	7	0.1	2,498	0.8	9	0.2	243	0.5	2,757	0.7
31	25	0.3	3,200	1.0	16	0.4	483	1.0	3,724	1.0
32	28	0.4	3,438	1.0	19	0.4	622	1.3	4,107	1.1
33	63	0.9	3,652	1.1	35	0.8	673	1.4	4,423	1.2
34	66	0.9	3,995	1.2	82	1.8	538	1.1	4,681	1.3
35	151	2.1	4,532	1.4	159	3.6	679	1.4	5,521	1.5
36	222	3.1	6,682	2.0	270	6.1	908	1.9	8,082	2.2
37	398	5.5	12,239	3.7	313	7.0	1,016	2.1	13,966	3.7
38	644	8.9	20,849	6.3	381	8.6	1,459	3.1	23,333	6.2
39	820	11.3	33,897	10.2	479	10.8	1,875	3.9	37,071	9.9
40	1,057	14.6	45,727	13.8	550	12.4	3,616	7.6	50,950	13.6
41	1,228	16.9	53,240	16.0	544	12.2	5,830	12.3	60,842	16.3
42	872	12	50,189	15.1	459	10.3	7,871	16.6	59,391	15.9
43	573	7.9	38,745	11.7	338	7.6	7,849	16.5	47,505	12.7
44	421	5.8	25,240	7.6	322	7.3	5,927	12.5	31,910	8.5
45	331	4.6	13,418	4.0	217	4.9	4,653	9.8	18,619	5.0
46	188	2.6	5,569	1.7	132	3.0	2,250	4.7	8,139	2.2
47	103	1.4	1,845	0.6	74	1.7	660	1.4	2,682	0.7
48	40	0.6	635	0.2	26	0.6	115	0.2	816	0.2
49	10	0.1	151	*	11	0.2	17	*	189	0.1
50	2	*	42	*	0	-	11	*	55	*
51	0	-	14	*	0	-	0	-	14	*
52	0	-	0	-	0	-	0	-	0	-
53	0	-	0	-	0	-	0	-	0	-
54	0	-	0	-	0	-	0	-	0	-
55	0	-	0	-	0	-	0	-	0	-
56	0	-	0	-	0	-	0	-	0	-
57	0	-	0	-	0	-	0	-	0	-
58	0	-	0	-	0	-	0	-	0	-
59	0	-	0	-	0	-	0	-	0	-
60 & above	0	-	0	-	0	-	0	-	0	-
Average mike	40		41		40		42		41	

* Less than 0.05 percent.

NOTE: Totals may not add due to rounding.

Table 36. — Percentage distribution of strength and uniformity for American Pima cotton classed, by states and United States, 2000 crop.

Strength	State								United States	
	Arizona		California		New Mexico		Texas			
	Bales	Pct.	Bales	Pct.	Bales	Pct.	Bales	Pct.	Bales	Pct.
17 & below	0	-	0	-	0	-	0	-	0	-
18	0	-	0	-	0	-	0	-	0	-
19	0	-	0	-	0	-	0	-	0	-
20	0	-	0	-	0	-	0	-	0	-
21	0	-	0	-	0	-	0	-	0	-
22	0	-	0	-	0	-	0	-	0	-
23	0	-	0	-	0	-	0	-	0	-
24	0	-	0	-	0	-	0	-	0	-
25	0	-	0	-	0	-	0	-	0	-
26	0	-	0	-	0	-	0	-	0	-
27	0	-	0	-	0	-	0	-	0	-
28	0	-	0	-	0	-	0	-	0	-
29	0	-	0	-	1	*	0	-	1	*
30	0	-	7	*	0	-	1	*	8	*
31	0	-	18	*	0	-	4	*	22	*
32	0	-	32	*	5	0.1	7	*	44	*
33	10	0.1	200	0.1	41	0.9	81	0.3	332	0.1
34	63	0.9	835	0.3	164	3.7	301	1.0	1,363	0.4
35	168	2.3	2,193	0.7	299	6.7	897	3.0	3,557	1.0
36	420	5.8	5,580	1.7	452	10.2	2,299	7.6	8,752	2.3
37	695	9.6	13,574	4.1	542	12.2	4,851	16.1	19,684	5.3
38	1048	14.4	30,240	9.1	615	13.8	7,307	24.3	39,220	10.5
39	1428	19.7	54,267	16.3	599	13.5	6,415	21.3	62,712	16.8
40	1275	17.6	70,324	21.2	523	11.8	3,870	12.8	75,992	20.3
41	1062	14.6	69,502	20.9	437	9.8	2,563	8.5	73,564	19.7
42	521	7.2	47,125	14.2	330	7.4	1,063	3.5	49,039	13.1
43	278	3.8	25,311	7.6	240	5.4	272	0.9	26,101	7.0
44	179	2.5	10,791	3.2	126	2.8	118	0.4	11,214	3.0
45 & above	115	1.6	2,317	0.7	67	1.5	70	0.2	2,569	0.7
Average	39.4		40.3		38.8		38.3		38.7	
Uniformity										
72 & below	0	-	0	-	0	-	0	-	0	-
73	0	-	0	-	0	-	0	-	0	-
74	0	-	0	-	0	-	0	-	0	-
75	0	-	0	-	0	-	0	-	0	-
76	0	-	0	-	0	-	0	-	0	-
77	0	-	0	-	0	-	0	-	0	-
78	0	-	0	-	0	-	0	-	0	-
79	0	-	1	*	0	-	0	-	1	*
80	0	-	30	*	0	-	4	*	34	*
81	11	0.2	257	0.1	0	-	18	0.1	286	0.1
82	69	1.0	1,777	0.5	13	0.3	145	0.5	2,004	0.5
83	368	5.1	9,023	2.7	132	3.0	800	2.7	10,323	2.8
84	1,107	15.2	35,138	10.6	722	16.3	4,432	14.7	41,399	11.1
85	2,010	27.7	93,858	28.2	1,510	34.0	12,457	41.4	109,835	29.4
86	2,229	30.7	112,251	33.8	1,346	30.3	9,549	31.7	125,375	33.5
87	1,263	17.4	58,838	17.7	615	13.8	2,578	8.6	63,294	16.9
88	199	2.7	17,947	5.4	101	2.3	136	0.5	18,383	4.9
89	6	0.1	3,088	0.9	2	*	0	-	3,096	0.8
90 & above	0	-	108	*	0	-	0	-	108	*
Average	85.5		85.7		85.4		85.3		85.6	
Extraneous matter										
Grass	60	0.8	2,436	0.7	116	2.6	251	0.8	2,863	0.8
Spindle twist	5	0.1	393	0.1	11	0.2	11	*	420	0.1
Preparation	0	*	2,896	0.9	0	-	5	*	2,901	0.8
Classings	7,262		332,316		4,441		30,119		374,138	

* Less than 0.05 percent.

NOTE: Totals may not add due to rounding.

